

PRODUCT GUIDE





PRODUCT GUIDE

TABLE OF CONTENTS

SECTION 1 - INTERIOR FINISHES		
1-1	Ultra Aquaborne Ceramic Interior Paint - Ultra Premium Residential	
	Ultra Aquaborne Ceramic Interior Paint Matte	754
	Ultra Aquaborne Ceramic Interior Paint Eggshell	755
	Ultra Aquaborne Ceramic Interior Paint Satin	756
	Ultra Aquaborne Ceramic Interior Paint Semi Gloss	757
1-2	Ultra Aquaborne Ceramic Kitchen & Bath Interior Paint - Premium Residential	
	Ultra Aquaborne Ceramic Kitchen & Bath Interior Paint Eggshell	045
	Ultra Aquaborne Ceramic Kitchen & Bath Interior Paint Satin	046
	Ultra Aquaborne Ceramic Kitchen & Bath Interior Paint Semi Gloss	047
1-3	Fres-Coat Premium Interior Paint & Primer - Premium Residential	
	Fres-Coat Premium Interior Paint & Primer Matte	535
	Fres-Coat Premium Interior Paint & Primer Eggshell	531
	Fres-Coat Premium Interior Paint & Primer Satin	536
	Fres-Coat Premium Interior Paint & Primer Semi Gloss	563
1-4	Verde Premium Interior Paint - Premium Residential	
	Verde Premium Interior Paint Matte	733
	Verde Premium Interior Paint Eggshell	731
	Verde Premium Interior Paint Satin	736
	Verde Premium Interior Paint Semi Gloss	763
1-5	Malibu Premium Interior Paint - Very Good Residential/Commercial	
	Malibu Premium Interior Paint Flat	783
	Malibu Premium Interior Paint Matte	784
	Malibu Premium Interior Paint Eggshell	785
	Malibu Premium Interior Paint Semi Gloss	786
1-6	CalPro Interior Paint - Very Good Commercial/Residential	
	CalPro Interior Paint Flat	556
	CalPro Interior Paint Eggshell	557
	CalPro Interior Paint Semi Gloss	558
1-7	CalPro Low VOC Paint - Very Good Commercial/Residential	
	CalPro Low VOC Paint Flat	656
	CalPro Low VOC Paint Eggshell	657
	CalPro Low VOC Paint Semi Gloss	658
1-8	ProPaint Interior Paint - Very Good Commercial/Residential	
	ProPaint Interior Paint Flat	508
	ProPaint Interior Paint Eggshell	509
	ProPaint Interior Paint Semi Gloss	510
1-9	Preference Interior Paint - Good Commercial	
	Preference Interior Paint Flat	501
	Preference Interior Paint Eggshell	507
	Preference Interior Paint Semi Gloss	502

SECTION 2 - EXTERIOR FINISHES		
2-1	Ultra High Build Exterior Paint - Ultra Premium Residential	
	Ultra High Build Exterior Paint Low Luster	801
	Ultra High Build Exterior Paint Semi Gloss	800
2-2	Ultra 2010 Exterior Paint - Ultra Premium Residential	
	Ultra 2010 Exterior Paint Velvet Flat	400
	Ultra 2010 Exterior Paint Low Luster	401
	Ultra 2010 Exterior Paint Semi Gloss	402
2-3	Fres-Coat Premium Exterior Paint - Premium Residential	
	Fres-Coat Premium Exterior Paint Velvet Flat	450
	Fres-Coat Premium Exterior Paint Low Luster	455
	Fres-Coat Premium Exterior Paint Semi Gloss	471
2-4	Malibu Premium Exterior Paint - Very Good Residential/Commercial	
	Malibu Premium Exterior Paint Low Luster	485
	Malibu Premium Exterior Paint Semi Gloss	486
2-5	ProPaint Exterior Paint - Very Good Commercial/Residential	
	ProPaint Exterior Paint Velvet Flat	446
	ProPaint Exterior Paint Semi Gloss	447
SECTION 3 - INTERIOR/EXTERIOR FINISHES		
3-1	CalPro Interior & Exterior Paint - Very Good Commercial/Residential	
	CalPro Interior & Exterior Paint Flat	463
	CalPro Interior & Exterior Paint Eggshell	460
	CalPro Interior & Exterior Paint Semi Gloss	462
3-2	Preference Interior & Exterior Paint - Good Commercial/Residential	
	Preference Interior & Exterior Paint Flat	420
	Preference Interior & Exterior Paint Eggshell	419
	Preference Interior & Exterior Paint Semi Gloss	440
SECTION 4 - INTERIOR PRIMERS		
4-1	ASAP Enamel Undercoater Primer & Sealer	503
	All Wall & Trim Primer, Sealer and Undercoater	566
	Malibu Low VOC Primer and Sealer	223
	Nextech 2 Waterborne Alkyd Stain Killer	207
4-2	CalPro Low VOC Primer and Sealer	655
	PrimeTouch Primer and Sealer	545
	Drywall Primer	544
	Alkyd Vapor Barrier Primer Sealer & Enamel Undercoater	202



PRODUCT GUIDE

TABLE OF CONTENTS

SECTION 5 - INTERIOR/EXTERIOR PRIMERS		
5-1	Aquaborne Ceramic Universal Primer	320
	WipeOut Acrylic Stain Blocker	525
	WipeOut II Alkyd Stain Blocker	201
5-2	Muralo 563 Enamel Undercoater Primer & Sealer	747
	Grip Coat Bonding Primer	505
SECTION 6 - EXTERIOR PRIMERS		
6-1	Trouble Shooter Linseed/Alkyd Oil Base Wood Primer	227
	Trouble Shooter 100% Acrylic Latex Exterior Wood Primer	451
	CalPro Exterior Alkyd Primer	231
	CalPro Exterior Acrylic Primer	461
SECTION 7 - CEILING WHITES		
7-1	Diamond Ceiling White	541
	Muralo 268 Ceiling White	268
	California Ceiling White	555
7-2	Malibu Ceiling White	248
	ProPaint Ceiling White	539
	Ox-O-Flow Cal Coater	704
SECTION 8 - SPECIALTY FINISHES AND COATINGS		
8-1	AllFlor Porch & Floor Enamel Low Luster	530
	UltraPlate Cabinet & Trim Enamel Satin	529
	Nextech 2 Waterborne Alkyd Interior Paint Satin	219
	Nextech 2 Waterborne Alkyd Interior Paint Semi Gloss	220
8-2	Sand Finish Paint	475
	Texture Paint	562

SECTION 9 - FIXALL INTERIOR PRIMERS

9-1	Waterborne Alkyd Stain Killer	F203
	Adhesium Wall Covering Primer	F890
	PVA Drywall Primer	F544

SECTION 10 - FIXALL INTERIOR/EXTERIOR PRIMERS

10-1	Acrylic Stain Killer	F524
	Ultimate Universal Primer	F506
	Alkyd Stain Killer	F204

10-2	Grabber Bonding Primer	F507
	Stopz Mold Resistant Interior and Exterior Primer/Finish	F583

SECTION 11 - FIXALL ENAMELS

11-1	Everlife Enamels - Ultra Premium Commercial/Residential	
	Everlife Urethane Enamel Semi Gloss	F210
	Everlife Urethane Enamel High Gloss	F221
	Everlife Waterborne Enamel Satin	F100
	Everlife Waterborne Enamel High Gloss	F521

11-2	Everlife Enamels - Ultra Premium Commercial/Residential (Cont.)	
	Everlife Weatherproof Aluminum Enamel	F408
	Everlife Fast Dry Alkyd Enamel High Gloss	F872

11-3	WearAll Enamels - Very Good Commercial	
	WearAll Alkyd Enamel Semi Gloss	F235
	WearAll Alkyd Enamel High Gloss	F242
	WearAll Acrylic Enamel Satin	F528

SECTION 12 - FIXALL DIRECT TO METAL COATINGS

12-1	Novus Acrylic DTM Primer & Finish Flat	F106
	Novus Acrylic DTM Semi Gloss	F466
	Roof Coating	F467

SECTION 13 - FIXALL MASONRY COATINGS

13-1	Masonry Conditioner (Clear)	F700
	Elastomeric Coating	F581
	Lacrylic Clear Sealer & Anti-Graffiti Coating	F711
	Clear Waterproofing Sealer	F580

13-2	Stopz Mold Resistant Waterproofoer	F584
	Acrylic Floor Sealer	F694
	Exposed Concrete Sealer (Clear)	F900

SECTION 14 - FIXALL FLOOR COATINGS

14-1	Skid Grip Anti-Slip Coating	F065
	Ultra-Tred Waterborne Epoxy Satin	F014
	Ultra-Tred Waterborne Epoxy High Gloss	F015

SECTION 15 - FIXALL POOL COATINGS

15-1	Acrylic Pool Paint	F240
	Chlorinated Rubber Pool Paint	F920
	Epoxy Pool Paint	F120

SECTION 16 - FIXALL ATHLETIC & TRAFFIC MARKING PAINTS

16-1	Field Marking Paint RTU	F111
	Field Marking Paint Concentrate	F110
	Zone Marking Traffic Paint Alkyd	F935
	Zone Marking Traffic Paint Latex	F108

SECTION 17 - FIXALL INTERIOR CLEARS & STAINS

17-1	Aquaborne Ceramithane Matte	F827
	Aquaborne Ceramithane Satin	F829
	Aquaborne Ceramithane High Gloss	F828
	Gym Seal	F934

17-2	Polyurethane Satin	F825
	Polyurethane High Gloss	F820
	Varnish High Gloss	F405
	Spar Varnish	F824

17-3	Lacquer High Gloss	F821
	Lacquer Sanding Sealer	F822
	Sanding Sealer	F823
	Semi-Transparent Interior Stain	F880

SECTION 18 - FIXALL SPECIALTY COATINGS

18-1	Kitchen & Bath Enamel Satin	F526
	Kitchen & Bath Enamel Semi Gloss	F527
	Vogue Theatrical Paint	F000

SECTION 19 - FIXALL SPACKLE

19-1	Spackle	F681
	Spackle Lite	F683
	Spackle Pro	F689

SECTION 20 - FIXALL FIX-RITE FINISHES		
20-1	Fix-Rite Interior/Exterior Latex Paint Flat	F514
	Fix-Rite Interior/Exterior Latex Paint Semi Gloss	F623
	Fix-Rite Structure & Farm Exterior Alkyd Paint Semi Gloss	F666
20-2	Fix-Rite Farm & Ranch Exterior Latex Paint	F608
	Fix-Rite Farm & Ranch Exterior Alkyd Paint Low Luster	F613
	Sportmans Camouflage Exterior Paint Flat	F555
SECTION 21 - FIXALL LIGHT INDUSTRIAL		
21-1	Dry Fall Latex Flat	F370
	Latex Block Filler	F515
	Mason-Cote 100% Acrylic Latex Block Filler	F375
	TileCoat 2 Part Polyamide Epoxy	F012
21-2	Alumithane Direct to Rust Primer	F929
	Fix Rust Primer	F500
	RustPlate Primer	F927
	Shop Coat Primer	F928



Section 1

INTERIOR FINISHES



INTERIOR FINISHES



Product Name	Ultra Aquaborne Ceramic Interior Paint Matte	Ultra Aquaborne Ceramic Interior Paint Eggshell	Ultra Aquaborne Ceramic Interior Paint Satin	Ultra Aquaborne Ceramic Interior Paint Semi Gloss
Product Number	754	755	756	757
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex	100% Acrylic Latex	100% Acrylic Latex
Quality	Ultra Premium	Ultra Premium	Ultra Premium	Ultra Premium
Gloss @ 60° (±2%)	4	12	22	40
Exposure	Interior	Interior	Interior	Interior
End Use	Residential	Residential	Residential	Residential
Recommended Substrates	Use on all interior new or previously painted surfaces, such as wood, brick, stone, concrete, cement block, plaster, wallboard and other drywall construction as well as metal.	Use on all interior new or previously painted surfaces, such as wood, brick, stone, concrete, cement block, plaster, wallboard and other drywall construction as well as metal.	Use on all interior new or previously painted surfaces, such as wood, brick, stone, concrete, cement block, plaster, wallboard and other drywall construction as well as metal.	Use on all interior new or previously painted surfaces, such as wood, brick, stone, concrete, cement block, plaster, wallboard and other drywall construction as well as metal.
Stain Resistance	Very Good	Excellent	Excellent	Excellent
Washability	Highly washable	Scrubable	Extremely Scrubable	Extremely Scrubable
Hiding	Excellent	Excellent	Excellent	Excellent
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon
Competitors	Behr Marquee 145x Benjamin Moore Aura 522 Series Lowes/Sherwin Williams Infinity IN002100 Sherwin Williams Emerald K36W Series	Behr Marquee 245x Benjamin Moore Aura 524 Series Sherwin Williams (none)	Behr Marquee 745x Benjamin Moore Aura 526 Series Lowes/Sherwin Williams Infinity IN002400 Sherwin Williams Emerald K37W Series	Behr Marquee 345x Benjamin Moore Aura 528 Series Lowes/Sherwin Williams Infinity IN002500 Sherwin Williams Emerald K38W Series
Special Features	Exceptional mar resistance Superior stain release Unparalleled performance & durability Lower sheen than most washable mattes	Exceptional mar resistance Superior stain release Unparalleled performance & durability Dense film formation provides exceptional hide	Exceptional mar resistance Superior stain release Unparalleled performance & durability Dense film formation provides exceptional hide	Exceptional stain resistance Superior stain release Unparalleled performance & durability Levels and appears like an oil base paint
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC	EPA, OTC, OTC II, CARB



INTERIOR FINISHES



Product Name	Ultra Aquaborne Ceramic Kitchen & Bath Interior Paint Eggshell	Ultra Aquaborne Ceramic Kitchen & Bath Interior Paint Satin	Ultra Aquaborne Ceramic Kitchen & Bath Interior Paint Semi Gloss
Product Number	045	046	047
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex	100% Acrylic Latex
Quality	Premium	Premium	Premium
Gloss @ 60° (±2%)	10	21	40
Exposure	Interior	Interior	Interior
End Use	Residential	Residential	Residential
Recommended Substrates	Wall and trim surfaces in kitchens, bathrooms and laundry rooms and alike. Plaster, Sheetrock, Wallboard, Concrete & Masonry block, Wood, Primed Metal, Galvanized Metal	Wall and trim surfaces in kitchens, bathrooms and laundry rooms and alike. Plaster, Sheetrock, Wallboard, Concrete & Masonry block, Wood, Primed Metal, Galvanized Metal.	Wall and trim surfaces in kitchens, bathrooms and laundry rooms and alike. Plaster, Sheetrock, Wallboard, Concrete & Masonry block, Wood, Primed Metal, Galvanized Metal
Stain Resistance	Excellent	Excellent	Excellent
Washability	Scrubable	Scrubable	Extremely Scrubable
Hiding	Very Good	Very Good	Very Good
Bases & Colors	Tintable White.	Tintable White.	Tintable White.
Sizes	Quart, Gallon	Quart, Gallon	Quart, Gallon
Competitors	Benjamin Moore Aura Bath & Spa 532 Sherwin Williams Paint Shield D12W00051	Benjamin Moore Aura Bath & Spa	Valspar Ultra Kitchen & Bath 71262 Series Benjamin Moore Aura Bath & Spa
Special Features	Tight film formation protecting paint film surface from mold and mildew growth Impervious, smooth film Great burnish and scrub resistance Excellent resistance to water marks, no streaking	Tight film formation protecting paint film surface from mold and mildew growth Impervious, smooth film Great burnish and scrub resistance Excellent resistance to water marks, no streaking	Tight film formation protecting paint film surface from mold and mildew growth Impervious, smooth film Great burnish and scrub resistance Excellent resistance to water marks, no streaking
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC



INTERIOR FINISHES



Product Name	Fres-Coat Premium Interior Paint & Primer Matte	Fres-Coat Premium Interior Paint & Primer Eggshell	Fres-Coat Premium Interior Paint & Primer Satin	Fres-Coat Premium Interior Paint & Primer Semi Gloss
Product Number	535	531	536	563
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex	100% Acrylic Latex	100% Acrylic Latex
Quality	Premium	Premium	Premium	Premium
Gloss @ 60° (±2%)	3	10	28	45
Exposure	Interior	Interior	Interior	Interior
End Use	Residential	Residential	Residential	Residential
Recommended Substrates	Plaster, sheet rock, wallboard, concrete, masonry block, wood, primed metal, galvanized metal, acoustical surfaces.	Plaster, sheet rock, wallboard, concrete, masonry block, wood, primed metal, galvanized metal, acoustical surfaces.	Plaster, sheet rock, wallboard, concrete, masonry block, wood, primed metal, galvanized metal, acoustical surfaces.	Plaster, sheet rock, wallboard, concrete, masonry block, wood, primed metal, galvanized metal, acoustical surfaces.
Stain Resistance	Good	Excellent	Excellent	Excellent
Washability	Highly washable	Scrubable	Extremely Scrubable	Extremely Scrubable
Hiding	Excellent	Excellent	Very Good	Very Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon
Competitors	Benjamin Moore Regal Select 548 Series PPG Manor Hall 82-100 Series PPG Pittsburgh Regency RGP51xx PPG Porter Silken Touch PP939 Sherwin Williams Cashmere D16-150 Series	Benjamin Moore Regal Select 549 Series P & L Eggshell Accolade 4000 PPG Manor Hall 82-300 Series PPG Pittsburgh Regency RGP52xx PPG Porter Silken Touch PP999 Sherwin Williams Cashmere D17-150 Series	Benjamin Moore Regal Select 550 Series P & L Accolade 4700 Sherwin Williams Super Paint A87W Series	Benjamin Moore Regal Select 551 Series PPG Pittsburgh Manor Hall 82-500 Series PPG Pittsburgh Regency RGP54xx PPG Porter Silken Touch PP1139 Series Pratt & Lambert Eggshell 4100 Sherwin Williams Cashmere D18-150 Series
Special Features	Elegant, washable flat finish Paint & primer in one Excellent coverage Stain resistant	Elegant, highly washable eggshell finish Paint & primer in one Excellent coverage Stain resistant	Scrubable finish Paint & primer in one Excellent coverage Stain resistant	Scrubable finish Paint & primer in one Excellent coverage Stain resistant
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC	EPA, OTC



INTERIOR FINISHES



Product Name	Verde Premium Interior Paint Matte	Verde Premium Interior Paint Eggshell	Verde Premium Interior Paint Satin	Verde Premium Interior Paint Semi Gloss
Product Number	733	731	736	763
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex	100% Acrylic Latex	100% Acrylic Latex
Quality	Premium	Premium	Premium	Premium
Gloss @ 60° (±2%)	3	12	27	45
Exposure	Interior	Interior	Interior	Interior
End Use	Residential	Residential	Residential	Residential
Recommended Substrates	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.
Stain Resistance	Good	Very Good	Excellent	Excellent
Washability	Highly washable	Highly washable	Extremely Scrubable	Extremely Scrubable
Hiding	Very Good	Very Good	Very Good	Very Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon
Competitors	Benjamin Moore Natura 512 Series Sherwin Williams Harmony B5W951 Valspar Pristine 1850X	Benjamin Moore Natura 513 Series Sherwin Williams Harmony B9W951	Valspar Pristine 1854X	Benjamin Moore Natura 514 Series Sherwin Williams Harmony B10W951
Special Features	Industry's Latest low VOC technology Extremely low odor Green Wise® certified Durable and mar resistant film	Industry's Latest low VOC technology Extremely low odor Green Wise® certified Durable and mar resistant film	Extremely Low VOC.(Zero VOC Calculated) Extremely low odor Green Wise® certified Latest in Zero VOC resin technology Outstanding application and performance characteristics	Industry's Latest low VOC technology Extremely low odor Green Wise® certified Durable and mar resistant film
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD



INTERIOR FINISHES



Product Name	Malibu Premium Interior Paint Flat	Malibu Premium Interior Paint Matte	Malibu Premium Interior Paint Eggshell	Malibu Premium Interior Paint Semi Gloss
Product Number	783	784	785	786
Vehicle Type	Acrylic Latex	Acrylic Latex	Acrylic Latex	Acrylic Latex
Quality	Very Good	Very Good	Very Good	Very Good
Gloss @ 60° (±2%)	2	3	8	50
Exposure	Interior	Interior	Interior	Interior
End Use	Residential/Commercial	Residential/Commercial	Residential/Commercial	Residential/Commercial
Recommended Substrates	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, sheet rock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.
Stain Resistance	Fair	Very Good	Very Good	Excellent
Washability	Lightly Washable	Highly washable	Highly washable	Scrubable
Hiding	Very Good	Very Good	Very Good	Excellent
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon
Competitors	Benjamin Moore Ben 625 PPG Pittsburgh Wonder Pure DRP31xx PPG Pure Performance 9-100 Sherwin Williams Super Paint A86 Series Pratt & Lambert Red Seal Z26 Series	Sherwin Williams Super Paint A94 Series	Benjamin Moore Ben 626 PPG Pittsburgh Wonder Pure DRP32xx PPG Pure Performance 9-300XI Series Sherwin Williams Super Paint A87 Series Pratt & Lambert Red Seal Z27 Series	Benjamin Moore Ben 627 PPG Pittsburgh Wonder Pure DRP33xx PPG Pure Performance 9-500 Series Sherwin Williams Super Paint A88 Series Pratt & Lambert Red Seal Z25 Series
Special Features	Easy application - High Hide formulation Low VOC Green Wise® certified Low odor	Easy application - High Hide formulation Low VOC Green Wise® certified Low odor	Easy application - High Hide formulation Low VOC Green Wise® certified Low odor	Easy application - High Hide formulation Low VOC Green Wise® certified Low odor
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB



INTERIOR FINISHES



Product Name	CalPro Interior Paint Flat	CalPro Interior Paint Eggshell	CalPro Interior Paint Semi Gloss
Product Number	556	557	558
Vehicle Type	Acrylic Latex	Acrylic Latex	Acrylic Latex
Quality	Very Good	Very Good	Very Good
Gloss @ 60° (±2%)	2	9	45
Exposure	Interior	Interior	Interior
End Use	Commercial/Residential	Commercial/Residential	Commercial/Residential
Recommended Substrates	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, sheetrock, wallboard, concrete, masonry block, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal.
Stain Resistance	N/A	Fair	Very Good
Washability	Lightly Washable	Highly washable	Scrubable
Hiding	Very Good	Very Good	Very Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White. Available in 2 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White. Available in 2 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White. Available in 2 stock colors.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Benjamin Moore Super Spec 275 Series Coronado Super Kote 5000 PPG Pittsburgh Wonder-Hide DRN533xx PPG Speedhide 6-70 Line Pratt & Lambert ProHide Gold 8100 & 8180 Sherwin Williams ProMar200 Zero B30W Series	Benjamin Moore Super Spec 274 Series Coronado Super Kote 5000 PPG Pittsburgh Wonder-Hide DR535xx PPG Speedhide 6-411 Pratt & Lambert ProHide Gold 8200 & 8280 Sherwin Williams ProMar200 Zero B20W Series	Benjamin Moore Super Spec 276 Series Coronado Super Kote 5000 PPG Pittsburgh Wonder-Hide DR537xx PPG Speedhide 6-500 Pratt & Lambert ProHide Gold 8300 & 8380 Sherwin Williams ProMar200 Zero B31W Series
Special Features	Excellent hide Unsurpassed production application Excellent touch up Outstanding anti spatter not usually found in professional lines	Excellent hide Unsurpassed production application Excellent touch up Outstanding anti spatter not usually found in professional lines	Excellent hide Unsurpassed production application Excellent touch up Outstanding anti spatter not usually found in professional lines
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC	EPA, OTC



INTERIOR FINISHES



Product Name	CalPro Low VOC Paint Flat	CalPro Low VOC Paint Eggshell	CalPro Low VOC Paint Semi Gloss
Product Number	656	657	658
Vehicle Type	Acrylic Latex	Acrylic Latex	Acrylic Latex
Quality	Very Good	Very Good	Very Good
Gloss @ 60° (±2%)	2	8	42
Exposure	Interior	Interior	Interior
End Use	Commercial/Residential	Commercial/Residential	Commercial/Residential
Recommended Substrates	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, Sheetrock, Wallboard, Concrete, Masonry block, Wood, previously finished surfaces.	Properly prepared interior surfaces such as drywall, wood trim, and primed or previously painted wood and metal surfaces.
Stain Resistance	N/A	Fair	Very Good
Washability	Lightly Washable	Lightly Washable	Scrubable
Hiding	Very Good	Very Good	Very Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Benjamin Moore Ultra Spec500 N536 Series PPG Speedhide Zero 6-4110XI Series Sherwin Williams ProMar200 Zero B30W Series Pratt & Lambert Red Seal Z26 Series	Benjamin Moore Ultra Spec500 N537 Series PPG Speedhide Zero 6-4310XI Series Sherwin Williams ProMar200 Zero B24 Series Pratt & Lambert Red Seal Z27 Series	Benjamin Moore Ultra Spec500 N539 Series PPG Speedhide Zero 6-4510XI Series Sherwin Williams ProMar200 Zero B31W Series Pratt & Lambert Red Seal Z25 Series
Special Features	Excellent application High hiding, durable & washable Very low odor Low VOC	Excellent application High hiding, durable & washable Very low odor Low VOC	Excellent application High hiding, durable & washable Very low odor Low VOC
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD



INTERIOR FINISHES



Product Name	ProPaint Interior Paint Flat	ProPaint Interior Paint Eggshell	ProPaint Interior Paint Semi Gloss
Product Number	508	509	510
Vehicle Type	Vinyl Acrylic Latex	Vinyl Acrylic Latex	Vinyl Acrylic Latex
Quality	Very Good	Very Good	Very Good
Gloss @ 60° (±2%)	2	8	45
Exposure	Interior	Interior	Interior
End Use	Commercial/Residential	Commercial/Residential	Commercial/Residential
Recommended Substrates	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, sheetrock, wallboard, concrete, masonry block, primed metal, primed galvanized metal, acoustical surfaces.	Plaster, sheetrock, wallboard, concrete, masonry block, wood, primed metal, primed galvanized metal.
Stain Resistance	N/A	Good	Very Good
Washability	N/A	Lightly Washable	Scrubable
Hiding	Good	Good	Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White. Available in 3 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White. Available in 3 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White. Available in 3 stock colors.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Benjamin Moore SuperHide 282 Series Coronado Super Kote 3000 301 Series PPG Speedhide Pro-EZ 12-100 Series Pratt & Lamber Pro-Hide Silver Z5300 Sherwin Williams ProMar400 Zero B30W Series	Benjamin Moore SuperHide 286 Series Coronado Super Kote 3000 302 Series PPG Speedhide Pro-EV 12-310 Series Pratt & Lamber Pro-Hide Silver Z5400 Sherwin Williams ProMar400 Zero B20W Series	Benjamin Moore SuperHide 283 Series Coronado Super Kote 3000 304 Series PPG Speedhide Pro-EV 12-510 Series Pratt & Lamber Pro-Hide Silver Z5500 Sherwin Williams ProMar400 Zero B31W Series
Special Features	Excellent Hide Outstanding anti-spatter and application Great touch up ability Great leveling characteristics	Excellent Hide Outstanding anti-spatter and application Great touch up ability Great leveling characteristics	Excellent Hide Outstanding anti-spatter and application Great touch up ability Great leveling characteristics
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC	EPA, OTC



INTERIOR FINISHES



Product Name	Preference Interior Paint Flat	Preference Interior Paint Eggshell	Preference Interior Paint Semi Gloss
Product Number	501	507	502
Vehicle Type	Vinyl Acrylic Latex	Vinyl Acrylic Latex	Vinyl Acrylic Latex
Quality	Good	Good	Good
Gloss @ 60° (±2%)	2	8	45
Exposure	Interior	Interior	Interior
End Use	Commercial	Commercial	Commercial
Recommended Substrates	Sheetrock, Wallboard, Masonry Block, Ceiling tile	Sheetrock, Wallboard, Masonry Block, Primed Metal	Sheetrock, Wallboard, Masonry Block, Primed Metal and Wood.
Stain Resistance	N/A	Fair	Good
Washability	N/A	Lightly Washable	Highly washable
Hiding	Fair	Fair	Fair
Bases & Colors	Tintable White. Available in 2 stock colors.	Tintable White. Available in 1 stock colors.	Tintable White. Available in 1 stock colors.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Coronado Super Kote 1000 88-1 PPG Multi-Pro 1250 Series Sherwin Williams Promar 700 B30 Series Sherwin Williams Property Solutions B30W Series	Sherwin Williams Property Solutions B20W Series	PPG Multi-Pro 1456 Series Sherwin Williams Promar 700 B31 Series Sherwin Williams Property Solutions B20W Series
Special Features	Outstanding value for interior applications Smooth flowing Easy application High hiding formula	Outstanding value for interior applications Smooth flowing Easy application Good touch up	Outstanding value for interior applications Smooth flowing Easy application Durable finish
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC



Section 2

EXTERIOR FINISHES



EXTERIOR FINISHES



Product Name	Ultra 2010 Exterior Paint Velvet Flat	Ultra 2010 Exterior Paint Low Luster	Ultra 2010 Exterior Paint Semi Gloss
Product Number	400	401	402
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex	100% Acrylic Latex
Quality	Ultra Premium	Ultra Premium	Ultra Premium
Gloss @ 60° (±2%)	5	15	45
Exposure	Exterior	Exterior	Exterior
End Use	Residential	Residential	Residential
Recommended Substrates	Clapboards, shingles, shakes, trim, plywood, vinyl/aluminum siding, stucco, masonry, brick, asbestos siding, galvanized metal.	Clapboards, shingles, shakes, trim, plywood, alum./ vinyl siding, stucco, masonry, brick, asbestos siding, galvanized metal.	Clapboards, shingles, shakes, trim, plywood, alum./ vinyl siding, stucco, masonry, brick, asbestos siding, galvanized metal.
Stain Resistance	Very Good	Very Good	Excellent
Washability	Lightly Washable	Scrubable	Scrubable
Hiding	Good	Excellent	Excellent
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, White.	Pastel Base, Medium Base, Deep Base, Neutral Base, White.	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 1 stock colors.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon
Competitors	Benjamin Moore Aura 634 Series Lowe's/Sherwin Williams Infinity IN002400 PPG Manor Hall Timeless 73-410 Sherwin Williams Emerald K48W Series	Benjamin Moore Aura 634 Series Sherwin Williams Emerald K48W Series PPG Manor Hall Timeless 73-410 Sherwin Williams (Lowe's) Infinity IN002400	Benjamin Moore Aura 632 Series Lowe's/Sherwin Williams Infinity IN002400 PPG Manor Hall Timeless 73-510 Sherwin Williams Emerald K49W Series
Special Features	Proprietary 100% Acrylic technology Outstanding hide Flawless durability and stain resistance Unsurpassed longevity	Proprietary 100% Acrylic technology Outstanding hide Flawless durability and stain resistance Unsurpassed longevity	Proprietary 100% Acrylic technology Outstanding hide Flawless durability and stain resistance Unsurpassed longevity
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC

2-1 EXTERIOR FINISHES



EXTERIOR FINISHES



Product Name	Ultra High Build Exterior Paint Low Luster	Ultra High Build Exterior Paint Semi Gloss
Product Number	801	800
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex
Quality	Ultra Premium	Ultra Premium
Gloss @ 60° (±2%)	25	50
Exposure	Exterior	Exterior
End Use	Residential	Residential
Recommended Substrates	Prepared new and old wood siding; Concrete, stucco, brick and masonry; Cedar shakes and shingles; T-111 and MDO siding materials; Vinyl Siding; Properly prepared steel, aluminum and galvanized metal	Prepared new and old wood siding; Concrete, stucco, brick and masonry; Cedar shakes and shingles; T-111 and MDO siding materials; Vinyl Siding; Properly prepared steel, aluminum and galvanized metal
Stain Resistance	Good	Very Good
Washability	Highly washable	Scrubable
Hiding	Excellent	Excellent
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, White.	Pastel Base, Medium Base, Deep Base, Neutral Base, White.
Sizes	Gallon	Gallon
Competitors	Benjamin Moore Regal Select High Build 401 Sherwin Williams Duration K33W Series	Benjamin Moore Regal Select High Build 403 Sherwin Williams Duration K34W Series
Special Features	High Build, Crosslinking 100% Acrylic Exterior Self Priming One Coat Coverage Low Temperature Application to 35F	High Build, Crosslinking 100% Acrylic Exterior Self Priming One Coat Coverage Low Temperature Application to 35F
VOC Compliance	EPA, OTC	EPA, OTC



EXTERIOR FINISHES



Product Name	Fres-Coat Premium Exterior Paint Velvet Flat	Fres-Coat Premium Exterior Paint Low Luster	Fres-Coat Premium Exterior Paint Semi Gloss
Product Number	450	455	471
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex	100% Acrylic Latex
Quality	Premium	Premium	Premium
Gloss @ 60° (±2%)	5	12	45
Exposure	Exterior	Exterior	Exterior
End Use	Residential	Residential	Residential
Recommended Substrates	Clapboards, shingles, shakes, trim, plywood, alum./ vinyl siding, stucco, masonry, brick, asbestos siding, galvanized metal.	Clapboards, shingles, shakes, trim, plywood, alum./ vinyl siding, stucco, masonry, brick, asbestos siding, galvanized metal.	Clapboards, shingles, shakes, trim, plywood, alum./ vinyl siding, stucco, masonry, brick, asbestos siding, galvanized metal.
Stain Resistance	Good	Very Good	Excellent
Washability	Lightly Washable	Highly washable	Scrubable
Hiding	Excellent	Excellent	Excellent
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 1 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base, White.	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 1 stock colors.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon
Competitors	Benjamin Moore Moorlife N105 Benjamin Moore Regal Select W105 Moorlife Pittsburgh Manor Hall 70-101 Pittsburgh Regency RGP66xx	Benjamin Moore Moorgard N103 Benjamin Moore Regal Select W103 MoorGard Pittsburgh Manor Hall 70-301 Pittsburgh Regency RGP68xx Pratt & Lambert Accolade 4200	Benjamin Moore Moorglo N096 Benjamin Moore Regal Select W096 MoorGlo Pittsburgh Manor Hall 70-501 Pittsburgh Regency RGP69xx Pratt & Lambert Accolade 4800
Special Features	Nationally rated 100% acrylic latex house paint Durable, long-lasting finish Resists mildew, water, & alkali Proprietary acrylic resin	Nationally rated 100% acrylic latex house paint Durable, long-lasting finish Resists mildew, water, & alkali Proprietary acrylic resin	Nationally rated 100% acrylic latex house paint Durable, long-lasting finish Resists mildew, water, & alkali Proprietary acrylic resin
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC



EXTERIOR FINISHES



Product Name	Malibu Premium Exterior Paint Low Luster	Malibu Premium Exterior Paint Semi Gloss
Product Number	485	486
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex
Quality	Very Good	Very Good
Gloss @ 60° (±2%)	10	25
Exposure	Exterior	Exterior
End Use	Residential/Commercial	Residential/Commercial
Recommended Substrates	Ideal for body or trim surfaces where a lower sheen or less shiny finish is desired. Great for use on new and old wood siding; Concrete, stucco, brick and masonry; Cedar shakes & shingles; Aluminum siding; Non-rusting metals, i.e., aluminum & copper; T-111 and MDO siding materials. Can be used over either Latex or Oil Based primers.	Ideal for body or trim surfaces where a middle sheen, semi gloss finish is desired. Great for use on new and old wood siding; Concrete, stucco, brick and masonry; Cedar shakes & shingles; Aluminum siding; Non-rusting metals, i.e., aluminum & copper; T-111 and MDO siding materials. Can be used over either Latex or Oil Based primers.
Stain Resistance	Very Good	Very Good
Washability	Highly washable	Highly washable
Hiding	Very Good	Very Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon
Competitors	Benjamin Moore Ben 542 Series PPG Sun-Proof 76 Line Pratt & Lambert Red Seal 1800 Sherwin Williams Resilience K33W Series	Benjamin Moore Ben 543 Series PPG Sun-Proof 78 Line Pratt & Lambert Red Seal 4800 Sherwin Williams Resilience K44W Series
Special Features	Low VOC 100% acrylic house paint Early moisture resistance Surface protection on mold & mildew growth Can be used over oil or latex based primers	Low VOC 100% acrylic house paint Early moisture resistance Surface protection on mold & mildew growth Can be used over oil or latex based primers
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD

2-4 EXTERIOR FINISHES



EXTERIOR FINISHES



Product Name	ProPaint Exterior Paint Velvet Flat	ProPaint Exterior Paint Semi Gloss
Product Number	446	447
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex
Quality	Very Good	Very Good
Gloss @ 60° (±2%)	8	30
Exposure	Exterior	Exterior
End Use	Commercial/Residential	Commercial/Residential
Recommended Substrates	Clapboards, shingles, shakes, trim, plywood, alum./ vinyl siding, stucco, masonry, brick, asbestos siding, galvanized metal.	Clapboards, shingles, shakes, trim, plywood, alum./ vinyl siding, stucco, masonry, brick, asbestos siding, galvanized metal.
Stain Resistance	Good	Very Good
Washability	Lightly Washable	Highly washable
Hiding	Very Good	Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, White.	Pastel Base, Medium Base, Deep Base, Neutral Base, White.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Benjamin Moore Ultra Spec 447 PPG Speedhide 6-610 Sherwin Williams A100 A06W Series	Benjamin Moore Ultra Spec 448 PPG Speedhide 6-900 Sherwin Williams A100 A08W Series
Special Features	High quality 100% acrylic house paint May be applied to surfaces as low as 35 F Breathable, flexible film that resists blistering and peeling Excellent color retention Ideal For wood, aluminum, masonry and vinyl siding & trim	High quality 100% acrylic house paint May be applied to surfaces as low as 35 F Breathable, flexible film that resists blistering and peeling Excellent color retention Attractive semi gloss sheen Ideal For wood, aluminum, masonry and vinyl siding & trim
VOC Compliance	EPA, OTC	EPA, OTC



Section 3

INTERIOR/EXTERIOR FINISHES



INTERIOR/EXTERIOR FINISHES



Product Name	CalPro Interior & Exterior Paint Flat	CalPro Interior & Exterior Paint Eggshell	CalPro Interior & Exterior Paint Semi Gloss
Product Number	463	460	462
Vehicle Type	Acrylic Latex	Acrylic Latex	Acrylic Latex
Quality	Very Good	Very Good	Very Good
Gloss @ 60° (±2%)	5	12	45
Exposure	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Commercial/Residential	Commercial/Residential	Commercial/Residential
Recommended Substrates	Plaster, sheet rock, wallboard, concrete, masonry block, primed metal, primed galvanized metal, acoustical surfaces, clapboards, wood, shingles, shakes, stucco,	Plaster, sheet rock, wallboard, concrete, masonry block, primed metal, primed galvanized metal, acoustical surfaces, clapboards, wood, shingles, shakes and stucco.	Plaster, sheet rock, wallboard, concrete, masonry block, primed metal, primed galvanized metal, acoustical surfaces, clapboards, wood, shingles, shakes, stucco,
Stain Resistance	Fair	Fair	Very Good
Washability	Lightly Washable	Lightly Washable	Scrubable
Hiding	Very Good	Very Good	Very Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon
Competitors	Richards Signature 100 Series Sherwin Williams Solo A74 Series Sherwin Williams Super Paint A80 Series	Richards Signature 130 Series Sherwin Williams Solo A73 Series Sherwin Williams Super Paint A89 Series	Richards Signature 750 Series Sherwin Williams Solo A76 Series Sherwin Williams Super Paint A84 Series
Special Features	Long lasting acrylic film Interior and exterior surfaces Non yellowing and Fade Resistant Protection on surface from mold and mildew	Long lasting acrylic film Interior and exterior surfaces Non yellowing and Fade Resistant Protection on surface from mold and mildew	Long lasting acrylic film Interior and exterior surfaces Non yellowing and Fade Resistant Protection on surface from mold and mildew
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC

3-1 INTERIOR/EXTERIOR FINISHES



INTERIOR/EXTERIOR FINISHES



Product Name	Preference Interior & Exterior Paint Flat	Preference Interior & Exterior Paint Eggshell	Preference Interior & Exterior Paint Semi Gloss
Product Number	420	419	440
Vehicle Type	Vinyl Acrylic Latex	Vinyl Acrylic Latex	Vinyl Acrylic Latex
Quality	Good	Good	Good
Gloss @ 60° (±2%)	5	8	30
Exposure	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Commercial/Residential	Commercial/Residential	Commercial/Residential
Recommended Substrates	For use on properly prepared new or previously painted drywall, plaster, wood, brick, masonry surfaces.	For use on properly prepared new or previously painted drywall, plaster, wood, brick, masonry, surfaces.	For use on properly prepared new or previously painted drywall, plaster, wood, brick, masonry, surfaces.
Stain Resistance	Fair	Fair	Very Good
Washability	Lightly Washable	Lightly Washable	Scrubable
Hiding	Good	Good	Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Pittsburgh Wonder-Pro DR202xx PPG Speedhide 6-8504 Richards Rich Classic 350	Pittsburgh Wonder-Pro DR218xx Richards Rich Classic 370	Pittsburgh Wonder-Pro DR236xx PPG Speedhide 6-8524 Richards Rich Classic 380
Special Features	For interior and exterior use Good adhesion Dried film is mildew resistant Easy application	For interior and exterior use Good adhesion Dried film is mildew resistant Easy application	For interior and exterior use Good adhesion Dried film is mildew resistant Easy application
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC

3-2 INTERIOR/EXTERIOR FINISHES



Section 4

INTERIOR PRIMERS



INTERIOR PRIMERS



Product Name	ASAP Enamel Undercoater Primer & Sealer	All Wall & Trim Primer, Sealer and Undercoater	Malibu Low VOC Primer and Sealer	Nextech 2 Waterborne Alkyd Stain Killer
Product Number	503	566	223	207
Vehicle Type	100% Acrylic Latex	Acrylic Latex	Acrylic Latex	Waterborne Alkyd
Quality	Premium	Very Good	Very Good	Premium
Gloss @ 60° (±2%)	7	4	3	4
Exposure	Interior	Interior	Interior	Interior
End Use	Residential	Residential/Commercial	Residential/Commercial	Commercial/Residential
Recommended Substrates	Wallboard, Plaster, Sheetrock, Masonry, Wood, Concrete, Paneling, Aluminum, Galvanized Metal, Primed Metal	Wallboard, Plaster, Sheetrock, Trim and Concrete.	Drywall, Wallboard, Sheetrock, Plaster, Concrete, Primed Metal, Acoustic Tiles.	Sheetrock, plaster, wallboard, interior wood trim, primed metal
Stain Resistance	N/A	N/A	N/A	N/A
Washability	N/A	N/A	N/A	N/A
Hiding	Very Good	Very Good	Very Good	Very Good
Bases & Colors	White.	White.	White.	Super Hide White.
Sizes	Quart, Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon	Quart, Gallon
Competitors	Benjamin Moore Fresh Start Primer N023 PPG SealGrip 17-951 Sherwin Williams Premium B28W8111	PPG Maxprime 6-4 Valspar Interior Primer 190 Pratt & Lambert ProHide Gold Primer Z8165	Benjamin Moore Fresh Start Natura Primer 511 PPG Speedhide Zero 6-4900XI Sherwin Williams ProMar200 Zero B28W2600	Benjamin Moore Advance Primer 790 Sherwin Williams Multi-Purpose Primer B79W00450
Special Features	Outstanding sealing capabilities Sands exceptionally well Provides maximum sheen and [performance of topcoats Excellent adhesion Use under latex, oil, and epoxy topcoats.	Wall and trim primer/undercoat great adhesion and holdout High-hiding Fast drying formula	Virtually odorless Crystalline silica free High hide Seals porous surfaces Use under flats & enamels Spatter resistance	State-of-the-art dual dispersion technology (water-reducible alkyd) for latex or oil topcoats Premium quality, very low odor, low VOC primer-sealer Prevents the migration of bleeding stains that show through other primers Great leveling and application characteristics
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD

4-1 INTERIOR PRIMERS



INTERIOR PRIMERS



Product Name	CalPro Low VOC Primer and Sealer	PrimeTouch Primer and Sealer	Drywall Primer	Alkyd Vapor Barrier Primer Sealer & Enamel Undercoater
Product Number	655	545	544	202
Vehicle Type	Acrylic Latex	Vinyl Acrylic Latex	Vinyl Acrylic Latex	Alkyd
Quality	Very Good	Very Good	Good	Premium
Gloss @ 60° (±2%)	3	2	2	5
Exposure	Interior	Interior	Interior	Interior
End Use	Commercial/Residential	Commercial/Residential	Commercial/Residential	Residential/Commercial
Recommended Substrates	Properly prepared interior surfaces such as drywall, plaster, sheet rock, wood and previously painted surfaces.	For properly prepared interior surfaces such as sheetrock, wallboard, masonry block, and ceiling tile.	Sheetrock, Wallboard, Masonry Block, Ceiling tile	First coat for paint on plaster, wood, drywall, composition board. It meets FHA and H.U.D. vapor barrier requirements of exterior walls (ASTM E96-66 = 0.85 "Perms"). It is also a superior for sealing surfaces prior to wallcovering.
Stain Resistance	N/A	N/A	N/A	N/A
Washability	N/A	N/A	N/A	N/A
Hiding	Very Good	Excellent	Very Good	Very Good
Bases & Colors	White.	White.	White.	White.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon	Quart, Gallon
Competitors	PPG Speedhide Zero Latex Sealer 6-4900XI	Benjamin Moore Ultra Spec Primer 580 PPG Speedhide 6-2 Sherwin Williams Drywall Primer B28W08150	PPG Speedcraft 5-2 Pratt & Lambert Pro-Hide Silver 8190 Sherwin Williams Builders Solution A63W100 Sherwin Williams PVA Primer B28W08000	Benjamin Moore Fresh Start Primer 024 PPG Seal Grip 17-956 Sherwin Williams Enamel Oil Primer A11W00210
Special Features	High hiding, easy applying primer Seals surfaces for uniform finish coat Extremely low odor Calculated Zero VOC	Outstanding hide and film build Meets the high production requirements of professionals Excellent base coat for alkyd or latex finish coats Quick drying	Meets the high production requirements of professionals Excellent base coat High hiding latex formulation Quick dry/recoat	Smooth flowing pigmented primer/sealer/enamel undercoater Seals highly absorbent wall and ceiling surfaces Creates a vapor barrier Sands beautifully on woodwork.
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, CARB

4-2 interior primers



Section 5

INTERIOR/EXTERIOR PRIMERS



INTERIOR/EXTERIOR PRIMERS



Product Name	Aquaborne Ceramic Universal Primer	WipeOut Acrylic Stain Blocker	WipeOut II Alkyd Stain Blocker
Product Number	320	525	201
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex	Vinyl Toluene Alkyd
Quality	Premium	Premium	Very Good
Gloss @ 60° (±2%)	10	10	6
Exposure	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Residential/Commercial	Residential/Commercial	Residential/Commercial
Recommended Substrates	For properly prepared wallboard, plaster, sheetrock, masonry, wood, concrete, galvanized metal, plastic laminates, vinyl wall coverings, under wallcoverings as well as previously painted surfaces.	Wallboard, Plaster, Sheetrock, Concrete, Masonry, Wood, Aluminum, Galvanized Metal, Plastic Laminates, Vinyl Wall Coverings, Previously Painted Surfaces	Sheetrock, plaster, wallboard, wood, primed metal, acoustic tiles
Stain Resistance	N/A	N/A	N/A
Washability	N/A	N/A	N/A
Hiding	Very Good	Very Good	Good
Bases & Colors	White.	White.	White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon	Quart, Gallon
Competitors	PPG SealGrip 17-921 Zinsser 1-2-3 Benjamin Moore Superior Primer 046	PPG Seal Grip Acrylic Universal 17-921 Series Sherwin Williams Multi-Purpose Latex Primer B51W00450 Benjamin Moore Sure Seal 027	Insl-x PrimeLock Plus PS-8000 Kilz 1000 PPG Speedhide Stain Kill 6-14 Sherwin Williams Pro Block Primer B79W08810 Valspar Controlz 19921 Zinsser Cover Stain CVS-03
Special Features	100% acrylic ceramic reinforced High performance interior/exterior primer Exceptional adhesion and quick dry Superior stain killing properties Great against flash rusting	100% acrylic stain kill Provides exceptional adhesion & stain blocking properties Blocks most bleeding type stains Interior and exterior use	Interior and exterior use Exceptional adhesion and stain blocking 30 minute dry time Top coat with oil or latex
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC	EPA, OTC



INTERIOR/EXTERIOR PRIMERS



Product Name	Muralo 563 Enamel Undercoater Primer & Sealer	Grip Coat Bonding Primer
Product Number	747	505
Vehicle Type	100% Acrylic Latex	Urethane Modified Acrylic
Quality	Premium	Ultra Premium
Gloss @ 60° (±2%)	8	4
Exposure	Interior/ Exterior	Interior/ Exterior
End Use	Residential	Commercial/Residential
Recommended Substrates	All previously painted surfaces, new and old wood, brick stone, concrete, cement and cement block, and other masonry, wallboard, composition board, and other drywall construction; formica, copper, and aluminum.	Plaster, Sheetrock, Wallboard, Concrete, Masonry block, Wood, previously finished surfaces. Also PVC, other plastics*, glass, fiberglass, glossy paints, glazed block, galvanized metal, aluminum, copper and tin..
Stain Resistance	N/A	N/A
Washability	N/A	N/A
Hiding	Very Good	Very Good
Bases & Colors	White.	White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon
Competitors	PPG Pure Performance 9-900 Sherwin Williams Harmony B11W500 Benjamin Moore Sure Seal 027	Insl-X SXA110 Stix PPG Seal Grip 17-951 Sherwin Williams Extreme Bond B51W00150 XIM UMA Primer XIM-03
Special Features	Superior primer for all interior/exterior surfaces High hiding formulation Calculated Zero VOC Sticks to glossy surfaces Low Odor	Excellent adhesion and bonds to most hard-to-adhere surfaces Use interior/exterior Proprietary urethane-acrylic formulation May be top-coated with latex, alkyd or urethane topcoats
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD



Section 6

EXTERIOR PRIMERS



EXTERIOR PRIMERS



Product Name	Trouble Shooter Linseed/Alkyd Oil Base Wood Primer	Trouble Shooter 100% Acrylic Latex Exterior Wood Primer	CalPro Exterior Alkyd Primer	CalPro Exterior Acrylic Primer
Product Number	227	451	231	461
Vehicle Type	Alkyd Linseed Oil	100% Acrylic Latex	Alkyd Linseed Oil	100% Acrylic Latex
Quality	Ultra Premium	Ultra Premium	Very Good	Very Good
Gloss @ 60° (±2%)	2	7	2	7
Exposure	Exterior	Exterior	Exterior	Exterior
End Use	Residential	Residential	Residential/Commercial	Residential/Commercial
Recommended Substrates	Clapboards, shingles, shakes, shutters, pressed board, trim.	Clapboards, shingles, shakes, trim, masonry, concrete, galvanized metal.	Clapboards, shingles, shakes, shutters, trim, Masonite and manufactured siding:	Clapboards, shingles, shakes, trim, shutters, concrete, masonry.
Stain Resistance	N/A	N/A	N/A	N/A
Washability	N/A	N/A	N/A	N/A
Hiding	Excellent	Excellent	Very Good	Very Good
Bases & Colors	Neutral Base, White.	Neutral Base, White.	White.	White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Benjamin Moore Fresh Start Moorwhite Primer 100 PPG Speedhide Oil Primer 6-9 Sherwin Williams Oil Primer Y24W08020	Benjamin Moore Fresh Start 023 PPG Perma-Crete 4-603 PPG/Porter Acri-Shield PP515 Sherwin Williams Wood Primer B42W08041	Benjamin Moore Fresh Start Primer 094 PPG Seal Grip Universal Alkyd Primer 17-941 Sherwin Williams Exterior Alkyd Primer Y24WB8053	PPG Sun Proof 72-1 Sherwin Williams Wood Primer B42W08041 Benjamin Moore Ultra Spec N55800
Special Features	Best performing, highest breathable oil base primer Provides maximum adhesion Best in blocking tannin, sugar and even light rust stains. Vertical or horizontal surfaces Ensures a uniform finish	100% Acrylic latex primer Maximum stain blocking Enhances the longevity of the finish coat Ensures a uniform finish Maximum breathability and adhesion Superior mildew and alkali resistance	Linseed/Alkyd formula protects new or unpainted wood Seals wood from which paint has been removed Provides smooth & even holdout for latex/oil finish coats Inhibits bleeding of natural wood stains	Flexible acrylic breather type primer For use on new or unpainted wood For use bare concrete & masonry surfaces May be topcoated with latex/alkyd-oil house paints
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC	EPA, OTC



Section 7

CEILING WHITES



CEILING WHITES



Product Name	Diamond Ceiling White	Muralo 268 Ceiling White	California Ceiling White
Product Number	541	268	555
Vehicle Type	Acrylic Latex	Acrylic Latex	Acrylic Latex
Quality	Ultra Premium	Ultra Premium	Very Good
Gloss @ 60° (±2%)	2	2	2
Exposure	Interior	Interior	Interior
End Use	Residential	Residential	Residential/Commercial
Recommended Substrates	Plaster, sheetrock, wallboard, concrete, wood, primed metal, acoustical surfaces, sand and texture finish ceilings.	Designed to coat multiple types of ceilings including drywall, plaster concrete, metal, galvanized, stucco and acoustical tiles. .	Plaster, sheet rock, wallboard, concrete, wood, primed metal, acoustical surfaces, sand and texture finish ceiling.
Stain Resistance	Fair	Fair	Fair
Washability	Lightly Washable	Lightly Washable	Lightly Washable
Hiding	Excellent	Excellent	Very Good
Bases & Colors	White.	White.	White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Benjamin Moore Waterborne 508 Pratt & Lambert Skylight 1250 Sherwin Williams Eminence A27W01815 PPG Premium Ceiling Paint 17-45	Benjamin Moore Waterborne 508 Richards SS Ceiling Paint U Flat Sherwin Williams Eminence A27W01815 PPG Ceiling Paint 50-35 Zinsser Ceiling Paint 260967	Benjamin Moore Muresco 258 Sherwin Williams Classic 99 A27W15 PPG Ceiling Paint 50-35
Special Features	Highest quality ceiling white Cleanest white available Non glare, flat finish Superior anti spatter technology	Acrylic latex dead flat Non-glare finish Maximum reflection of light Designed for production application	Best in class appearance bright white Anti-Spatter acrylic latex formulation High hiding power Flat, light-absorbing finish
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC



CEILING WHITES



Product Name	Malibu Ceiling White	ProPaint Ceiling White	Ox-O-Flow Cal Coater
Product Number	248	539	704
Vehicle Type	Acrylic Latex	Vinyl Acrylic Latex	Linseed Oil
Quality	Very Good	Good	Very Good
Gloss @ 60° (±2%)	2	2	2
Exposure	Interior	Interior	Interior
End Use	Residential/Commercial	Commercial/Residential	Residential/Commercial
Recommended Substrates	Use on all residential and commercial building ceilings.	Sheetrock, wallboard, acoustical surfaces, sand and texture finish ceiling.	Plaster, drywall
Stain Resistance	Fair	N/A	N/A
Washability	Lightly Washable	N/A	N/A
Hiding	Excellent	Good	Excellent
Bases & Colors	White.	White.	Super Hide White.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon
Competitors	Benjamin Moore Waterborne 508	Pro-Hide Silver 8159 Richards Rich Classic 315 PPG Speedhide Pro-EV Wall & Ceiling 12-110	Benjamin Moore 306 Series Calcimine Recoater
Special Features	Low VOC Extremely low odor Green Wise® certified	Great production ceiling white Dries quickly & hides well Flat uniform appearance For multiple surfaces including primed wood, and primed metal	Ultra high-hiding Primes & finishes most porous surfaces Apply over calcimine, casein and other water soluble finishes Easy applying & self leveling formula
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC	EPA, OTC,



Section 8

SPECIALY FINISHES & COATINGS



SPECIALTY FINISHES AND COATINGS



Product Name	AllFlor Porch & Floor Enamel Low Luster	UltraPlate Cabinet & Trim Enamel Satin	NexTech 2 Waterborne Alkyd Interior Paint Satin	NexTech 2 Waterborne Alkyd Interior Paint Semi Gloss
Product Number	530	529	219	220
Vehicle Type	Acrylic Latex Epoxy Fortified	Urethane Modified Acrylic	Waterborne Alkyd	Waterborne Alkyd
Quality	Ultra Premium	Ultra Premium	Premium	Premium
Gloss @ 60° (±2%)	30	27	40	60
Exposure	Interior/ Exterior	Interior	Interior/ Exterior	Interior/ Exterior
End Use	Residential/Commercial	Residential/Commercial	Residential/Commercial	Residential/Commercial
Recommended Substrates	Floors, patios, porches, steps, decks, playrooms, basements, wood, concrete and masonry.	Cabinets, Shelving, Trim, Furniture and where a smooth, scrubable, durable, and chip resistant finish is needed.	For properly prepared interior and exterior surfaces such as wood, drywall, primed masonry, primed plaster and primed metal.	For properly prepared interior and exterior surfaces such as wood, drywall, primed masonry, primed plaster and primed metal.
Stain Resistance	Very Good	Excellent	Excellent	Excellent
Washability	Scrubable	Scrubable	Extremely Scrubable	Extremely Scrubable
Hiding	Excellent	Good	Very Good	Very Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 8 stock colors.	Tintable White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.
Sizes	Quart, Gallon	Quart, Gallon	Quart, Gallon	Quart, Gallon
Competitors	Benjamin Moore Floor & Patio N122 Series P & L Withstand 5100 PPG 3-6 Porch & Floor	Insl-x Cabinet Coat 45xx	Benjamin Moore Advance Satin 792 PPG Manor Hall 28-4110 PPG Speedhide 6-1410 Sherwin Williams ProClassic B33-850 Sherwin Williams Promar 200 WR Alkyd B33W08253	Benjamin Moore Advance 793 PPG Speedhide 6-1510 Sherwin Williams ProClassic B34-850 Sherwin Williams Promar 200 WR Alkyd B33W08251
Special Features	Maximum abrasion resistance Outstanding Water Sensitivity Durable, fade resistant finish Provides uniform application	Factory like finish with ultra-leveling characteristics for use on cabinetry, trim, shelving and furniture Extremely durable, washable and scrubable Ideal for hard-to-adhere substrates Proprietary urethane-acrylic formulation	Alkyd durability and film toughness Outstanding leveling Waterborne ease of use and clean up Extremely low odor Below 50 g/L VOC	Alkyd durability and film toughness Outstanding leveling Waterborne ease of use and clean up Extremely low odor Below 50 g/L VOC
VOC Compliance	EPA, OTC, OTC II, CARB	EPA, OTC	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD

8-1 SPECIALTY FINISHES AND COATINGS



SPECIALTY FINISHES AND COATINGS



Product Name	Sand Finish Paint	Texture Paint
Product Number	475	562
Vehicle Type	Acrylic Latex	Acrylic Latex
Quality	Very Good	Very Good
Gloss @ 60° (±2%)	4	4
Exposure	Interior	Interior
End Use	Residential/Commercial	Commercial/Residential
Recommended Substrates	Plaster, sheetrock, wallboard, masonry, plywood.	Plaster, sheetrock, wallboard, masonry, plywood.
Stain Resistance	Fair	Fair
Washability	Lightly Washable	Lightly Washable
Hiding	Excellent	Excellent
Bases & Colors	White.	White.
Sizes	Gallon	Gallon
Competitors	Benjamin Moore 386 Studio Sand Texture	Behr Premium Plus Texture Paint 559
Special Features	<ul style="list-style-type: none"> Sand bodied decorative texture Hides surface imperfections Outstanding adhesion Crack resistant 	<ul style="list-style-type: none"> Latex Smooth bodied texture Hides cracks and imperfections Create many different texture effects Can be rolled, brushed, troweled or stippled
VOC Compliance	EPA, OTC	EPA, OTC



Section 9

INTERIOR PRIMERS



Product Name	Waterborne Alkyd Stain Killer	Adhesium Wall Covering Primer	PVA Drywall Primer
Product Number	F203	F890	F544
Vehicle Type	Waterborne Alkyd	100% Acrylic Latex	Vinyl Acrylic Latex
Quality	Premium	Premium	Good
Gloss @ 60° (±2%)	2	2	2
Exposure	Interior	Interior	Interior
End Use	Residential/Commercial	Residential/Commercial	Commercial/Residential
Recommended Substrates	Sheetrock, plaster, wallboard, interior wood trim, primed metal.	Gypsum Board, Wallboard, Plaster, Plastic Laminates, Painted Surfaces, Ceramic Tile.	Sheetrock, Wallboard, Masonry Block, Ceiling tile
Stain Resistance	Very Good	Very Good	Good
Washability	N/A	N/A	N/A
Hiding	Very Good	Very Good	Fair
Bases & Colors	White.	White.	White.
Sizes	Quart, Gallon	Quart, Gallon	Gallon, 5 Gallon
Competitors	Benjamin Moore Advance Primer 790 Sherwin Williams Multi-Purpose Primer B79W00450 Kilz Max L2002 INSL-X Odorless Stain NO4000	PPG Seal Grip 17-971 Zinsser Shieldz 0250	Benjamin Moore SuperHide Undercoat 284 Sherwin Williams ProMar400 Zero B28W4600 Zinsser DryWall Primer 051
Special Features	Premium quality, very low odor primer-sealer/stainkill/versatile undercoater Prevents the migration of bleeding stains that show through other primers. Cleans up with water Low odor, low VOC formulation	Good for all weights of wallcovering Easy clean up and fast dry time Can be used as a primer/sealer under latex paints Wallpaper can be maneuvered during installation and removed easily Excellent for using over glossy surfaces	Economical, high-hiding choice For use on bare or color change surfaces Fine grind for spray/brush or roll applications Quick recoat schedule
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II	EPA, OTC, OTC II, CARB, SCAQMD



Section 10

INTERIOR/EXTERIOR PRIMERS

INTERIOR/EXTERIOR PRIMERS



Product Name	Acrylic Stain Killer	Ultimate Universal Primer	Alkyd Stain Killer
Product Number	F524	F506	F204
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex	Vinyl Toluene Alkyd
Quality	Premium	Premium	Premium
Gloss @ 60° (±2%)	7	15	8
Exposure	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Residential/Commercial	Residential/Commercial	Residential/Commercial
Recommended Substrates	Wallboard, Plaster, Sheetrock, Concrete, Masonry, Wood, Aluminum, Galvanized Metal, Plastic Laminates, Vinyl Wall Coverings, Previously Painted Surfaces	For properly prepared wallboard, plaster, sheetrock, masonry, wood, concrete, galvanized metal, plastic laminates, vinyl wall coverings, under wallcoverings as well as previously painted surfaces.	Sheetrock, plaster, wallboard, wood trim, primed metal, acoustic tiles.
Stain Resistance	N/A	N/A	N/A
Washability	N/A	N/A	N/A
Hiding	Very Good	Very Good	Very Good
Bases & Colors	White.	Neutral Base, White.	White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon
Competitors	Insl-X Aqualock AQ0500 Sherwin Williams Multi-Purpose Latex Primer B51W00450 PPG Seal Grip Acrylic Universal 17-921 Series	PPG SealGrip 17-921 Sherwin Williams Multi-Purpose B51W0453 Zinsser 1-2-3	Benjamin Moore Fres Start Alkyd 024 Sherwin Williams Fast Dry Y24W8980 Zinsser Cover Stain CVS-03
Special Features	100% acrylic stain kill/primer/undercoater Provides exceptional adhesion & stain blocking properties Blocks most bleeding type stains Interior / exterior use	100% acrylic universal interior or exterior Exceptional adhesion and quick dry Superior stain killing properties Great holdout for finish coats	Interior and exterior stain kill Not recommended as a whole house primer Exceptional adhesion and stain blocking 30 minute dry time Top coat with oil or latex
VOC Compliance	EPA, OTC	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC

INTERIOR/EXTERIOR PRIMERS



Product Name	Grabber Bonding Primer	Stopz Mold Resistant Interior and Exterior Primer/Finish
Product Number	F507	F583
Vehicle Type	Urethane Modified Acrylic	100% Acrylic Latex
Quality	Ultra Premium	Premium
Gloss @ 60° (±2%)	4	32
Exposure	Interior/ Exterior	Interior/ Exterior
End Use	Commercial/Residential	Residential/Commercial
Recommended Substrates	Plaster, Sheetrock, Wallboard, Concrete, Masonry block, Wood, previously finished surfaces. Also PVC, other plastics*, glass, fiberglass, glossy paints, glazed block, galvanized metal, aluminum, copper and tin.	Stopz Mold & Mildew Resistant* All Purpose Primer is recommended for use on interior wall surfaces such as plaster, wallboard, Sheetrock®, concrete, masonry block, wood, primed metal and galvanized metal. This product is also recommended for use on interior or exterior wood framing, primed metal, concrete, and wallboard inside the wall cavity. Do not use for HVAC system application.
Stain Resistance	N/A	Very Good
Washability	N/A	Scrubable
Hiding	Very Good	Very Good
Bases & Colors	White.	White.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon
Competitors	Insl-X SXA110 Stix PPG Seal Grip 17-951 XIM UMA Primer XIM-03	Zinsser Mold Killing Primer 2760 Kilz Kitchen & Bath Primer L2045
Special Features	Problem solving technology as it sticks tight to most surfaces Great hide and sandability Resists flash rusting and is highly alkali resistant Use on wood, masonry/concrete, vinyl, prefinished coatings, metal and multiple other surfaces Interior or exterior	Primer and Finish Special anti-microbial additive Withstands moist humid conditions that provide the ideal environment for fungal growth Eliminates existing spores on surface
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC



Section 11

ENAMELS

ENAMELS



Product Name	Everlife Urethane Enamel Semi Gloss	Everlife Urethane Enamel High Gloss	Everlife Waterborne Enamel Satin	Everlife Waterborne Enamel High Gloss
Product Number	F210	F221	F100	F521
Vehicle Type	Alkyd	Alkyd	100% Acrylic Latex	100% Acrylic Latex
Quality	Ultra Premium	Ultra Premium	Premium	Premium
Gloss @ 60° (±2%)	60	80	32	80
Exposure	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Commercial/Residential	Commercial/Residential	Commercial/Residential	Commercial/Residential
Recommended Substrates	Metal: Cabinets, Furniture, Decks, Ramps, Equipment, Machinery, Tools, Toys, etc	Metal: Cabinets, Furniture, Decks, Ramps, Equipment, Machinery, Tools, Toys, etc.	Ideal for inside or outside application over new or old wood and masonry surfaces such as patios, cellar floors, playrooms, porches, stairways, etc. and walls, trim and objects where a durable finish is desired.	Concrete, wood, wallboard, masonry block, plaster, primed metal.
Stain Resistance	Excellent	Excellent	Excellent	Excellent
Washability	Extremely Scrubable	Extremely Scrubable	Scrubable	Extremely Scrubable
Hiding	Very Good	Excellent	Excellent	Very Good
Bases & Colors	Pastel Base, Medium Base, Deep Base, Neutral Base, Super Hide White.	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 14 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 8 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 14 stock colors.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon	Quart, Gallon
Competitors	Benjamin Moore Satin Impervo 235 Coronado Rust Scat 13 Sherwin William Pro Classic B34W51 Series	Benjamin Moore Super Spec P22 Series Coronado Rust Scat 31 PPG Speedhide 6-284 Series Sherwin Williams Industrial B54W Series	Coronado Rust Scat 90 PPG Porter 900 PP919 Sherwin Williams All Surface Enamel A41 Series	Coronado Rust Scat 80 PPG Porter 900 PP909 Sherwin Williams All Surface Enamel A41 Series
Special Features	Provides rust inhibitive finish to metal substrates including heavy use equipment and machinery. Suitable for trim, primed ferrous metal, railings, etc Tough and durable semi gloss finish Interior and exterior use	Unique colored urethane finish Tough and durable rust inhibitive finish to metal substrates including heavy use equipment and machinery. Suitable for foot abrasion in commercial/ industrial environments including steps, landings and decks Interior and exterior use	100% acrylic satin finish Great abrasion resistance and adhesion Interior and exterior use Tough/Durable finish on floors, walls and trim Easy uniform application	100% Acrylic Can be applied to almost any surface including wood, metal, plaster, concrete and wallboard Tough and durable high gloss finish Interior and Exterior usage
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC, OTC II, CARB	EPA, OTC, OTC II, CARB



Product Name	Everlife Weatherproof Aluminum Enamel	Everlife Fast Dry Alkyd Enamel High Gloss
Product Number	F408	F872
Vehicle Type	Alkyd	Alkyd
Quality	Ultra Premium	Very Good
Gloss @ 60° (±2%)	60	80
Exposure	Interior/ Exterior	Interior/ Exterior
End Use	Commercial/Residential	Commercial
Recommended Substrates	It is especially well suited for both metal and built up composition roofs, as well as fences, storage tanks and other structural steel. Everlife Weatherproof Aluminum Enamel has excellent resistance to weather and will retain its brightness for many years.	Metal surfaces
Stain Resistance	Excellent	Excellent
Washability	Extremely Scrubable	Extremely Scrubable
Hiding	Excellent	Very Good
Bases & Colors	. Available in 1 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 5 stock colors.
Sizes	Quart, Gallon, 5 Gallon	Quart, Gallon
Competitors	PPG Speedhide 6-230 Rustoleum V7400 245xxx Sherwin Williams B59S11 Aluminum	Corotech V220 PPG Porter Guard PP2549 Sherwin Williams Quick Dry F77 Series
Special Features	Weather resistant enamel Retains gloss for an extended period versus competitors Excellent corrosion resistance Extremely durable	Interior and exterior use Available in white, colors, & bases Highly durable finish Fast dry and quick handle
VOC Compliance	EPA, OTC	EPA, OTC



Product Name	WearAll Alkyd Enamel Semi Gloss	WearAll Alkyd Enamel High Gloss	WearAll Acrylic Enamel Satin
Product Number	F235	F242	F528
Vehicle Type	Alkyd	Alkyd	100% Acrylic Latex
Quality	Very Good	Very Good	Very Good
Gloss @ 60° (±2%)	57	70	18
Exposure	Interior	Interior	Interior/ Exterior
End Use	Commercial	Commercial	Commercial/Residential
Recommended Substrates	Any vertical or horizontal surface (not be walked on) that is in need of a durable, abrasion resistant white topcoat.	Machinery, Landings, Industrial Flooring, Handrails, Steps, Racks, Shelving, Tools	Floors, patios, porches, steps, decks, playrooms, basements, wood, concrete and masonry.
Stain Resistance	Very Good	Excellent	Very Good
Washability	Extremely Scrutable	Extremely Scrutable	Highly washable
Hiding	Good	Very Good	Very Good
Bases & Colors	White.	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 19 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 8 stock colors.
Sizes	Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon
Competitors	PPG Speedhide 6-1110XI Series ProMar 200 B34-200 Series	Benjamin Moore Impervo C133 Series Rustoleum V7400 RO-75 245xxx Sherwin Williams Industrial B54W	Benjamin Moore Floor & Patio 122 Sherwin Williams Floor & Porch A24 series
Special Features	Economical and durable semigloss enamel white finish Rust inhibitive coating Provides a tough, scrubable finish Ideal high service areas	Outstanding performance and value Very good color and gloss retention Very good adhesion and abrasion resistance Available in standard colors and 4 bases Ideal for horizontal and vertical surfaces	Outstanding performance and value Very good color retention and adhesion Very good wear resistance on floors, trim and walls. Available in standard colors and 4 tint bases
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC



Section 12

DIRECT TO METAL COATINGS

DIRECT TO METAL COATINGS



Product Name	Novus Acrylic DTM Primer & Finish Flat	Novus Acrylic DTM Semi Gloss	Roof Coating
Product Number	F106	F466	F467
Vehicle Type	Acrylic Latex	100% Acrylic Latex	100% Acrylic Latex
Quality	Premium	Ultra Premium	Premium
Gloss @ 60° (±2%)	5	35	38
Exposure	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Commercial	Commercial/Residential	Commercial/Residential
Recommended Substrates	Can be used successfully for priming miscellaneous iron, bar joists, duct work, piping, galvanized metal, doors, sash, windows or for spot touching other abraded metal primers. May be used as a self-priming finish coat where a flat appearance is required.	Ideal for painting both new and previously painted roof decks, metal paneling, corrugated metal siding, storage tank, structural steel and galvanized metal. Provides outstanding performance on interior and exterior wood, walls and masonry.	Ideal for painting new and repainting previously painted exterior and interior roof decks, and other properly prepared metal surfaces.
Stain Resistance	Very Good	Very Good	Excellent
Washability	Highly washable	Scrubable	N/A
Hiding	Very Good	Excellent	Very Good
Bases & Colors	White. Available in 2 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base, White. Available in 2 stock colors.	. Available in 3 stock colors.
Sizes	Quart, Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Sherwin Williams Pro B66 Benjamin Moore Ultra Spec HP DTM HP2508 Devco Coatings DevFlex 4212HP Rustoleum 5200 System DTM 5290402	Corotech V331 Series PPG Pitt-Tech Plus 90-1210 Series Sherwin Williams DTM Semi B66W211	Rustoleum 5200 System Sherwin Williams DTM B66 Series Valspar Siding & Roof 426X
Special Features	Quick drying & outstanding rust inhibiting characteristics Prime or flat finish coat For sound, rusty ferrous metal surfaces Excellent for galvanized metal, aluminum, wood & masonry surfaces	Self-priming, superior rust inhibitive semigloss finish Water resistance and resistance to most alkali, detergents and mild acids Low odor and fast recoatability Versatile finish, can be used directly over galvanized metal, wood or masonry Interior and exterior use	Provides a truly superior self-priming coating. Can be used on ferrous metal, wood, galvanized, aluminum, synthetic and other substrates exposed to general industrial and atmospheric conditions Excellent resistance to most alkali, detergents and mild acids, and offers good water resistance Can be successfully applied over (sound) rusty surfaces after removal of all mill scale
VOC Compliance	EPA, OTC, OTC II, CARB	EPA, OTC, OTC II	EPA, OTC, OTC II



Section 13

MASONRY COATINGS

MASONRY COATINGS



Product Name	Masonry Conditioner (Clear)	Elastomeric Coating	Lacrylic Clear Sealer & Anti-Graffiti Coating	Clear Waterproofing Sealer
Product Number	F700	F581	F711	F580
Vehicle Type	Acrylic Latex	100% Acrylic Latex	Solvent Acrylic	Acrylic Latex Epoxy Fortified
Quality	Premium	Premium	Very Good	Premium
Gloss @ 60° (±2%)	16	12	30	15
Exposure	Interior/ Exterior	Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Commercial/Residential	Commercial	Commercial	Commercial/Residential
Recommended Substrates	FixAll Waterborne Acrylic Masonry Conditioner can be used to seal previously painted and new masonry surfaces. Concrete floors that are to be top-coated with alkyd, oil modified urethane or latex finishes can be sealed with this conditioning sealer.	Block, cementitious surfaces	Masonry, Stucco, Flagstone, Brick, Concrete Floors, Wood.	Uncoated wood, concrete, brick, masonry, canvas, stucco and other porous substrates.
Stain Resistance	Very Good	Very Good	Excellent	Good
Washability	Highly washable	Highly washable	Extremely Scrutable	Highly washable
Hiding	N/A	Excellent	N/A	Very Good
Bases & Colors	. Available in 1 stock colors.	White.	. Available in 1 stock colors.	. Available in 1 stock colors.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Benjamin Moore Super Spec 066 PPG Perma-Crete 4-408 & 4-409 Sherwin Williams Loxon Conditioner A24 Series	Benjamin Moore Super Spec 055 PPG Perma-Crete 4-110 Sherwin Williams Sherlastic A5-600 Series	Sherwin William Anti Graffiti B97C00150	Seal-Krete Original 10000 Sherwin Williams Loxon Siloxane A10T7 Thompson's WaterSeal Plus
Special Features	Binds chalky surfaces Alkali resistant Dries fast Great adhesion and sealing ability	Bridges gaps Smooth, easy application Can be tinted Can be top-coated with any 100% Acrylic Paint Outstanding cohesion	Clear, non-yellowing sealer Excellent sacrificial anti-graffiti coating and protective topcoat Seals interior & exterior concrete surfaces such as masonry, stucco, wood, flagstone, brick & concrete floors Prevents water penetration & surface dusting Blocks odors from penetrating through Stops copper from oxidizing	Extremely Low VOC Soap and water clean-up Masonry, wood, canvass Non-yellowing and crystal clear Not designed for being topcoated
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD

MASONRY COATINGS



Product Name	Stopz Mold Resistant Waterproof	Acrylic Floor Sealer	Exposed Concrete Sealer (Clear)
Product Number	F584	F694	F900
Vehicle Type	100% Acrylic Latex	Acrylic Latex	Alkyd
Quality	Very Good	Very Good	Very Good
Gloss @ 60° (±2%)	6	90	60
Exposure	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Commercial/Residential	Commercial/Residential	Commercial/Residential
Recommended Substrates	All unpainted interior and exterior masonry surfaces such as; concrete, brick, block, stucco etc. (not recommended for floors)	For use on exterior or interior concrete and masonry surfaces such as basement and garage floors, walkways, driveways, pavers, unglazed tiles, natural or artificial stone, stucco, cinder block walls and brick surfaces.	Best for use on aggregate, swept or pre-cast concrete and bare concrete floors.
Stain Resistance	Good	Very Good	Excellent
Washability	Highly washable	Scrubable	Extremely Scrubable
Hiding	Excellent	N/A	N/A
Bases & Colors	White.	. Available in 1 stock colors.	. Available in 1 stock colors.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	UGL Drylock Extreme 2861x Zinsser WaterTite 27xxxx	Seal Krete Clear Seal 6040x Benjamin Moore Floor Sealer M2700	Specialty Sealers
Special Features	Waterborne, low odor formula with antimicrobial that withstands 10 PSI Mildew resistant, Interior / exterior formula Ideal for above or below grade masonry walls, cinder & concrete blocks, concrete basement walls or foundations Penetrates masonry and expands deeply into pores Easy application, bright white finish	Durable finish coat Alkali resistant Use on multiple concrete, masonry and stone surfaces Interior or exterior Chemical resistant finish	Use on rough concrete Leaves a sealed gloss finish Protects concrete from water migration Prevents cracking and staining of surface
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD	EPA



Section 14

FLOOR COATINGS

FLOOR COATINGS



Product Name	Skid Grip Anti-Slip Coating	Ultra-Tred Waterborne Epoxy Satin	Ultra-Tred Waterborne Epoxy High Gloss
Product Number	F065	F014	F015
Vehicle Type	Acrylic Latex	2 Part Epoxy	2 Part Epoxy
Quality	Ultra Premium	Premium	Premium
Gloss @ 60° (±2%)	5	28	75
Exposure	Interior/ Exterior	Interior	Interior
End Use	Commercial/Residential	Residential	Residential
Recommended Substrates	Patios, pool decks, tennis courts, basketball courts, driveways, steps, walkways, ramps. Areas where an anti-slip surface is required.	Ultra-Tred is designed for use on new or previously painted interior concrete floors, masonry, wallboard, plaster, fiberglass, wood (not hardwood floors), treated galvanized metals, steel, aluminum. It can be used on garage floors, manufacturing plants, schools, hospitals and chemical handling facilities.	Ultra-Tred is designed for use on new or previously painted interior concrete floors, masonry, wallboard, plaster, fiberglass, wood (not hardwood floors), treated galvanized metals, steel, aluminum. It can be used on garage floors, manufacturing plants, schools, hospitals and chemical handling facilities.
Stain Resistance	Fair	Very Good	Excellent
Washability	Lightly Washable	Scrubable	Extremely Scrubable
Hiding	Excellent	Very Good	Excellent
Bases & Colors	Accent Base, Tintable White. Available in 7 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base. Available in 2 stock colors.	Pastel Base, Medium Base, Deep Base, Neutral Base. Available in 2 stock colors.
Sizes	Gallon, 5 Gallon	1G Kit	1G Kit
Competitors	Anvil Gator Grip 9200 Insl-X Sure Step SUXX Series Sherwin-Williams ArmorSeal Treas-Plex B90 Series	Insl-X GarageGuard EGGXXX PPG Aquapon 98-1 Series (w/Semi-Gloss Activator) Sherwin Williams Pro Industrial B73-360 Series	Insl-X GarageGuard EGGXXX PPG Aquapon 98-1 Series (w/Gloss Activator) Sherwin Williams Pro Industrial B73-300 Series
Special Features	100% acrylic, slip resistant surface Superior adhesion and fade resistant colors Easy to apply and re-coat Ideal for safety areas, walkways, parks, courts, and playgrounds Excellent for both residential and commercial applications	Super durable - abrasion & chemical resistant Great for garage floors, walls, trim and basements Epoxy Coating with super diamond-hard, tile like, satin finish. Resists hot tire pick up	Super durable - abrasion & chemical resistant Great for garage floors, walls, trim and basements Epoxy Coating with super diamond-hard, tile like, gloss finish. Resists hot tire pick up
VOC Compliance	EPA, OTC, OTC II, CARB	EPA, OTC, OTC II, CARB	EPA, OTC, OTC II, CARB



Section 15

POOL COATINGS

POOL COATINGS



Product Name	Acrylic Pool Paint	Chlorinated Rubber Pool Paint	Epoxy Pool Paint
Product Number	F240	F920	F120
Vehicle Type	100% Acrylic Latex	Chlorinated Rubber	2 Part Epoxy
Quality	Very Good	Very Good	Ultra Premium
Gloss @ 60° (±2%)	30	30	80
Exposure	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Commercial/Residential	Commercial/Residential	Residential/Commercial
Recommended Substrates	New and previously finished concrete, gunite, fiberglass, polyester, bituminous and aluminum swimming pools that are to be filled with fresh or salt water.	New and previously finished concrete, gunite, fiberglass, polyester, bituminous and aluminum swimming pools that are to be filled with chlorinated or salt water.	Ideal for use on concrete, plaster, fiberglass, steel, aluminum, gel-coat and other substrates. It can also be used in food processing rooms, shower and locker rooms, laboratories, clean rooms, and multiple non-potable tanks and submerged equipment.
Stain Resistance	Excellent	Excellent	Excellent
Washability	Extremely Scrubable	Extremely Scrubable	Extremely Scrubable
Hiding	Very Good	Very Good	Excellent
Bases & Colors	White. Available in 3 stock colors.	White. Available in 3 stock colors.	White. Available in 3 stock colors.
Sizes	Gallon	Gallon	1G Kit
Competitors	Insl-X WR-10XX Series Olympic Hydrolon 710 Series Ramuc AquaLuster	Insl-X CR-26XX Series Olympic Parlon 2 Ramuc Type A	Insl-X IG-40XX Series Olympic Poxolon 2 222x Series Ramuc EP Epoxy
Special Features	Designed for maximum wear under water Easy application Provides a lasting finish on concrete and plaster pools, both inside and outdoors Resistant to algae, mildew, alkali, and pool chemicals	Designed for maximum wear under water Easy application Provides a lasting finish on concrete and plaster pools, both inside and outdoors Resistant to algae, mildew, alkali, and pool chemicals	Premier wear resistant coating Interior and exterior use Longest lasting Can be applied over many surfaces including concrete, plaster, fiberglass, aluminum and more.
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC



Section 16

ATHLETIC & TRAFFIC MARKING PAINTS

ATHLETIC & TRAFFIC MARKING PAINTS



Product Name	Field Marking Paint RTU	Field Marking Paint Concentrate	Zone Marking Traffic Paint Alkyd	Zone Marking Traffic Paint Latex
Product Number	F111	F110	F935	F108
Vehicle Type	Vinyl Acrylic Latex	Vinyl Acrylic Latex	Alkyd	Acrylic Latex
Quality	Good	Very Good	Very Good	Very Good
Gloss @ 60° (±2%)	2	2	2	2
Exposure	Interior/ Exterior	Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Special	Special	Commercial	Special
Recommended Substrates	Football, soccer, lacrosse, field hockey, baseball and other athletic fields.	Football, soccer, lacrosse, field hockey, baseball and other athletic fields.	For interior and exterior use on asphalt, concrete, metal and wood surfaces.	Suitable for line marking on pavement zones, lanes, identification of traffic aisles in factories and warehouses or athletic surfaces.
Stain Resistance	N/A	N/A	N/A	Excellent
Washability	N/A	N/A	N/A	Scrubable
Hiding	Good	Very Good	Excellent	Excellent
Bases & Colors	White.	White. Available in 1 stock colors.	White. Available in 2 stock colors.	White. Available in 2 stock colors.
Sizes	5 Gallon	5 Gallon	Gallon, 5 Gallon	Gallon, 5 Gallon
Competitors	Pioneer Brite Stripe Airless Sherwin Williams Field Marking Z80W900	Insl-X FM 65 Series Sherwin Williams SherStripe B2-900 Richards 8000	Insl-x Alkyd Traffic Paint TP-24xx PPG Zone Marking Oil Paint 11-3 Series Sherwin Williams Setfast A30x	Insl-X TPXX Series Sherwin Williams Pro-Park B97 Series
Special Features	Ready to use athletic field marking option Provides bright, sharp lines on grass surfaces Non-toxic, non-chalking formula Rub off resistant Lime free to ensure athlete safety Can be additionally diluted 1:1	Economical athletic field marking option with up to 3 to 1 dilution ratio Provides bright, sharp lines on grass surfaces Non-toxic, non-chalking formula Rub off resistant Lime free to ensure athlete safety	Extremely fast dry Durable coating Wear and fade resistant pigments Fine grind for easy spray brush or roll application	Highly reflective, non-glaring, acrylic latex For use over any bituminous surface or concrete Highly resistant to climatic conditions Will not cause cracking, peeling or deterioration of asphalt Great color retention
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD	EPA	EPA, OTC



Section 17

INTERIOR CLEARS & STAINS

INTERIOR CLEARS & STAINS



Product Name	Aquaborne Ceramithane Matte	Aquaborne Ceramithane Satin	Aquaborne Ceramithane High Gloss	Gym Seal
Product Number	F827	F829	F828	F934
Vehicle Type	Urethane Modified Acrylic	Urethane Modified Acrylic	Urethane Modified Acrylic	Oil Modified Urethane
Quality	Ultra Premium	Ultra Premium	Ultra Premium	Very Good
Gloss @ 60° (±2%)	60	40	92	85
Exposure	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior	Interior
End Use	Residential/Commercial	Residential/Commercial	Residential/Commercial	Commercial/Residential
Recommended Substrates	Use inside on wood products, floors, furniture, woodwork, cabinets, and paneling. Excellent for polished metals such as copper, brass, chrome, stainless steel and aluminum. Seals masonry floors such as concrete and terrazzo.	Use inside on wood products, floors, furniture, woodwork, cabinets, and paneling. Excellent for polished metals such as copper, brass, chrome, stainless steel and aluminum. Seals masonry floors such as concrete and terrazzo.	Use inside/outside on wood products, floors, furniture, woodwork, cabinets, and doors. Excellent for metals such as copper, brass, chrome, stainless steel and aluminum. Seals masonry floors such as concrete and terrazzo.	For use on finished and unfinished wood floors and masonry.
Stain Resistance	Excellent	Excellent	Excellent	Excellent
Washability	Extremely Scrutable	Extremely Scrutable	Extremely Scrutable	Extremely Scrutable
Hiding	N/A	N/A		N/A
Bases & Colors	. Available in 1 stock colors.	. Available in 1 stock colors.	. Available in 1 stock colors.	. Available in 1 stock colors.
Sizes	Quart, Gallon	Quart, Gallon	Quart, Gallon	Quart, Gallon
Competitors	Benjamin Moore Stays Clear F425 Varathane 26207	Benjamin Moore Stays Clear 423 Old Masters 745 Sherwin Williams A68 Wood Classic Series	Benjamin Moore Stays Clear 422 Old Masters 744 Sherwin Williams A68 Wood Classic Series	Lenmar Court Time 1Y.809 PPG Porter Wood Guardian 835
Special Features	Proprietary resin and formulation Passes Maple Flooring Institute and Kitchen Cabinet Manufacturers Association tests High build, easy to apply Stand up to the toughest commercial applications Gloss can be used exterior	Proprietary resin and formulation Passes Maple Flooring Institute and Kitchen Cabinet Manufacturers Association tests High build, easy to apply Stand up to the toughest commercial applications Gloss can be used exterior	Passes Maple Flooring Institute Tests Passes Kitchen Cabinet Manufacturers Association tests High build, easy to apply Use over oil-based stains Stand up to the toughest commercial applications Gloss can be used exterior	Athletic and industrial strength phenolic varnish. Ideal for wood and concrete floors subject to heavy use Dries quickly to a durable gloss finish. Highly resistant to most liquids including household cleaning agents, mild chemicals and solvents and water.
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC	EPA

INTERIOR CLEARS & STAINS



Product Name	Polyurethane Satin	Polyurethane High Gloss	Varnish High Gloss	Spar Varnish
Product Number	F825	F820	F405	F824
Vehicle Type	Oil Mod. Polyurethane	Oil Mod. Polyurethane	Alkyd	Alkyd
Quality	Very Good	Very Good	Premium	Very Good
Gloss @ 60° (±2%)	45	80	80	70
Exposure	Interior	Interior	Interior	Interior/ Exterior
End Use	Residential/Commercial	Residential/Commercial	Residential/Commercial	Residential/Commercial
Recommended Substrates	Floors, cabinets, doors, furniture, and wood trim.	Floors, cabinets, doors, furniture, and wood trim.	Excellent for use on interior wood surfaces where a durable clear gloss finish is desired.	For use on boats, doors, furniture, porches, bar tops or any other surface where a durable clear gloss finish is desired.
Stain Resistance	Excellent	Excellent	Excellent	Excellent
Washability	Scrubable	Extremely Scrubable	Extremely Scrubable	Scrubable
Hiding	N/A	N/A	N/A	N/A
Bases & Colors	. Available in 1 stock colors.	. Available in 1 stock colors.	. Available in 1 stock colors.	. Available in 1 stock colors.
Sizes	Quart, Gallon	Quart, Gallon	Quart, Gallon	Quart, Gallon
Competitors	Minwax 71028 Old Masters 48X series Varathane 9XXX series	Minwax 71030 Old Masters 48X series Varathane 9XXX series	Minwax Old Masters McCloskey's	McCloskey Man O' War 7509 Minwax Helsman 3200 Old Masters 924
Special Features	Extremely tough, long wearing clear finish. Ideal for as furniture, cabinets, doors, bar tops, horizontal wood surfaces, etc. Alcohol, water and most chemicals do not affect this product. Excellent for residential, institutional and industrial applications.	Extremely tough, long wearing clear finish. Ideal for furniture, cabinets, doors, bar tops, horizontal wood surfaces, etc. Alcohol, water and most chemicals do not affect this product. Excellent for residential, institutional and industrial applications. May also be used outside on doors, furniture, etc.	Can be applied over old finishes in sound condition. Extremely durable. Designed for interior use. Will hold up to everyday wear and tear.	Can be applied over old finishes in sound condition. Extremely durable for exterior use. Designed for marine use. Excellent product for use on boats, doors, furniture, porches, bar tops. Will hold up to the sun's ultraviolet rays.
VOC Compliance	EPA, OTC	EPA, OTC	EPA	EPA

INTERIOR CLEARS & STAINS



Product Name	Lacquer High Gloss	Lacquer Sanding Sealer	Sanding Sealer	Semi-Transparent Interior Stain
Product Number	F821	F822	F823	F880
Vehicle Type	Lacquer	Lacquer	Vinyl Toluene Alkyd	Alkyd
Quality	Very Good	Very Good	Very Good	Very Good
Gloss @ 60° (±2%)	85	35	40-70	2
Exposure	Interior	Interior	Interior	Interior
End Use	Residential/Commercial	Residential/Commercial	Residential/Commercial	Residential/Commercial
Recommended Substrates	New or stained interior wood surfaces such as doors, cabinets, paneling, and other wood trim.	First coat for new or stained interior wood surfaces such as doors, cabinets, paneling, and other wood trim. It dries fast, and provides a crystal clear finish.	As a first coat on new or stained interior wood surfaces to receive a varnish topcoat.	For use on furniture, cabinets, paneling, doors, woodwork, floors and other bare wood.
Stain Resistance	Excellent	Excellent	Excellent	N/A
Washability	Highly washable	Extremely Scrutable	Highly washable	N/A
Hiding	N/A	N/A	N/A	N/A
Bases & Colors	. Available in 1 stock colors.	. Available in 1 stock colors.	. Available in 1 stock colors.	. Available in 1 stock colors.
Sizes	Quart, Gallon	Quart, Gallon	Quart, Gallon	Quart, Gallon
Competitors	Gemini Gloss 701 Lenmar Duralaq Gloss 1LL.21 Old Masters 92XXX series	Gemini Sealer 700 Lenmar Duralaq Sealer 1C.397 Minwax Laquer Sealer 15400	Old Masters 45004 Zar 2621 Zinsser Bulls Eye Seal Coat 0085	Deft DFT400 Series Old Masters 4XX Series Sherwin Williams Wood Classics 250 Series
Special Features	High build formulation Non-yellowing, long lasting finish Extremely fast drying Crystal clear finish	Extremely fast drying formula Crystal clear, mirror like gloss finish Excellent for doors, cabinets, paneling, and other wood trim Quick recoats	Can be sanded easily Fast drying so top coats can be applied within an hour Seals the surface for uniform top coat finishing Easy flow application	Clear, tintable base Penetrates deep into the wood Will enhance the grain of the wood Easily and evenly applied stain
VOC Compliance	EPA	EPA	EPA	EPA



Section 18

SPECIALTY COATINGS

SPECIALTY COATINGS



Product Name	Kitchen & Bath Enamel Satin	Kitchen & Bath Enamel Semi Gloss	Vogue Theatrical Paint
Product Number	F526	F527	F000
Vehicle Type	100% Acrylic Latex	100% Acrylic Latex	Acrylic Latex
Quality	Very Good	Very Good	Premium
Gloss @ 60° (±2%)	23	45	0
Exposure	Interior	Interior	Interior
End Use	Residential/Commercial	Residential/Commercial	Special
Recommended Substrates	Plaster, Sheetrock, Wallboard, Concrete & Masonry block, Wood, Primed Metal, Galvanized Metal. Wall and trim surfaces in kitchens, bathrooms and laundry rooms and alike.	Plaster, Sheetrock, Wallboard, Concrete & Masonry block, Wood, Primed Metal, Galvanized Metal. Wall and trim surfaces in kitchens, bathrooms and laundry rooms and alike.	Theatrical stages, sets, television production, photography studios and areas where a non-reflective coating is desired.
Stain Resistance	Excellent	Excellent	Fair
Washability	Scrubable	Extremely Scrubable	Lightly Washable
Hiding	Very Good	Very Good	Excellent
Bases & Colors	Tintable White.	Tintable White.	. Available in 18 stock colors.
Sizes	Quart, Gallon	Quart, Gallon	Gallon
Competitors	Olympic Icon 74911 Series Zinsser Perma White 02711	Dutch Boy Dura Clean D6135 Behr Premium Plus Kitchen & Bath 7850 Zinsser Perma White 02761	Rosco Off Broadway 53xx
Special Features	100% Acrylic Paint & primer in one Superior hide and durability Excellent application and uniformity Anti-Microbial protection Tintable White	100% Acrylic Paint & primer in one Superior hide and durability Excellent application and uniformity Anti-Microbial protection Tintable White	Interior Latex Matte Finish Available in 18 Colors Vibrant Chroma Colors Non-reflective finish Used in Theaters & Television Studios
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC,



Section 19

SPACKLE



Product Name	Spackle	Spackle Lite	Spackle Pro
Product Number	F681	F683	F689
Vehicle Type	N/A	Acrylic Latex	Acrylic Latex
Quality	Very Good	Premium	Very Good
Gloss @ 60° (±2%)	N/A	N/A	N/A
Exposure	Interior	Interior	Interior/ Exterior
End Use	Commercial/Residential	Commercial/Residential	Residential/Commercial
Recommended Substrates	For interior use in filling holes, cracks, dents and gouges on plaster, wallboard, wood, masonry and painted metal.	For interior use in filling holes, cracks and gouges on wallboard, plaster, wood, stucco and masonry.	For interior use in filling holes, cracks, dents and gouges on plaster, wallboard, wood, masonry and painted metal.
Stain Resistance	N/A	N/A	N/A
Washability	N/A	N/A	N/A
Hiding	N/A	N/A	N/A
Bases & Colors	. Available in 1 stock colors.	. Available in 1 stock colors.	. Available in 1 stock colors.
Sizes	Quart, Gallon, 1/2 Pint	Quart, Gallon, 1/2 Pint	Quart, Gallon
Competitors	Dap Vinyl Spackling 707981213xx Red Devil Vinyl Spackling 0534	Dap Fast N' Final 1214x Red Devil OneTime Lightweight 0544	Dap Painters Putty '53' Red Devil Crack Patch 0804XX Zinsser MH Ready Patch 04424 Crawford's Spackling Paste 31904
Special Features	Ready mixed, for interior use only Fill and repair surface imperfections on plaster, wallboard, wood, masonry and painted metal Dries fast to a smooth paintable surface Excellent workability, good adhesion and sands easily	Lightweight patching compound Use on wallboard, plaster, wood and masonry Excellent for deep cracks and large hole repairs Will not shrink, sag or crack Can be painted over in 1 hour on most applications	Low VOC, under 60 gms./L Virtually no odor Interior and exterior use Non-shrinking Extra smooth Excellent application, sands very easily Professional grade
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC, OTC II, CARB, SCAQMD



Section 20

FIX-RITE FINISHES

FIX-RITE FINISHES



Product Name	Fix-Rite Interior/Exterior Latex Paint Flat	Fix-Rite Interior/Exterior Latex Paint Semi Gloss	Fix-Rite Structure & Farm Exterior Alkyd Paint Semi Gloss
Product Number	F514	F623	F666
Vehicle Type	Vinyl Acrylic Latex	Vinyl Acrylic Latex	Alkyd Linseed Oil
Quality	Good	Good	Very Good
Gloss @ 60° (±2%)	3	40	50
Exposure	Interior/ Exterior	Interior/ Exterior	Exterior
End Use	Commercial/Residential	Commercial/Residential	Commercial/Residential
Recommended Substrates	For use on wood, drywall, plaster, masonry, stucco and primed metal.	For use on wood, drywall, plaster, masonry and metal.	Exterior Metal Surfaces
Stain Resistance	Fair	Good	Very Good
Washability	Lightly Washable	Lightly Washable	Extremely Scrubable
Hiding	Fair	Good	Very Good
Bases & Colors	White.	White.	White. Available in 5 stock colors.
Sizes	Gallon, 5 Gallon, 2 Gallon	Gallon, 5 Gallon, 2 Gallon	Gallon, 5 Gallon
Competitors	Yenkin Majestic Majic 8-0802	Yenkin Majestic Majic	Majic Town & Country 8-0033 Series VanSickle Super Premium Oil
Special Features	Multi-purpose, durable, flat coating Interior and exterior use. Use on wood, drywall, plaster, masonry, stucco and primed metal. Dries in less than one hour Non-yellowing, non-chalking and blister resistant finish.	Economical latex product. Great for apartments or rental units. Semi gloss finish makes it easy to clean. Good for interior or exterior use.	Dried paint film is non-toxic to farm livestock Excellent for farm, home and industrial Covers wells and has good adhesion Rust inhibitive finish
VOC Compliance	EPA, OTC	EPA, OTC	EPA

FIX-RITE FINISHES



Product Name	Fix-Rite Farm & Ranch Exterior Latex Paint	Fix-Rite Farm & Ranch Exterior Alkyd Paint Low Luster	Sportmans Camouflage Exterior Paint Flat
Product Number	F608	F613	F555
Vehicle Type	Vinyl Acrylic Latex	Alkyd Linseed Oil	Acrylic Latex
Quality	Very Good	Very Good	Very Good
Gloss @ 60° (±2%)	6	8	3
Exposure	Exterior	Exterior	Exterior
End Use	Commercial/Residential	Commercial	Special
Recommended Substrates	For use on wood, masonry, metal and aluminum.	For use on wood or metal.	Deer stands, Duck Blinds, Sheds and other structures designed to blend into natures backdrop.
Stain Resistance	Fair	Good	Fair
Washability	Lightly Washable	Highly washable	Lightly Washable
Hiding	Very Good	Very Good	Very Good
Bases & Colors	White. Available in 3 stock colors.	White. Available in 2 stock colors.	. Available in 1 stock colors.
Sizes	Gallon, 5 Gallon	Gallon, 5 Gallon	Gallon
Competitors	Majic Latex Barn & Fence 8-0046 Series Valspar Latex Barn & Fence 312x VanSickle Premium Latex	Valspar Oil Barn & Fence VanSickle Economy Oil Paint	BLP Mobile Camouflage Paint 64 Line Majic Camouflage Paint 8-085x
Special Features	Economical latex flat exterior paint. Dries in one hour and can be re coated right away. Colors are available in Barn Red, White, Black and Green. Can be used on multiple exterior surfaces.	Economical oil based paint. Exterior use for both metal and wood that are non deck horizontal surfaces. Will offer better adhesion that a latex paint. High hiding paint with good spread rate coverage. Can be used on bare wood for better penetration and protection. Available in three colors Bard Red, White and Black.	Latex Flat Water Clean-Up Exterior Paint Provides camouflage with any nature background
VOC Compliance	EPA, OTC	EPA	EPA, OTC



Section 21

LIGHT INDUSTRIAL



Product Name	Dry Fall Latex Flat	Latex Block Filler	Mason-Cote 100% Acrylic Latex Block Filler	TileCoat 2 Part Polyamide Epoxy
Product Number	F370	F515	F375	F012
Vehicle Type	Vinyl Acrylic Latex	Vinyl Acrylic Latex	100% Acrylic Latex	2 Part Epoxy
Quality	Good	Very Good	Premium	Premium
Gloss @ 60° (±2%)	4	2	60	80
Exposure	Interior	Interior	Interior/ Exterior	Interior
End Use	Commercial	Commercial/Residential	Commercial	Commercial
Recommended Substrates	Ideal for wall and ceiling surfaces in industrial plants, commercial buildings, warehouses, public institutions, schools and churches.	Concrete Block, Porous Masonry and Concrete	Masonry block, concrete, brick, stone	For use on concrete, plaster, fiberglass, steel, and other substrates. Used in food processing rooms, shower and locker rooms, labs, garage floors and multiple non-potable tanks and submerged equipment.
Stain Resistance	N/A	N/A	N/A	Excellent
Washability	N/A	N/A	N/A	Extremely Scrubable
Hiding	Good	Excellent	Excellent	Excellent
Bases & Colors	White. Available in 1 stock colors.	White.	White.	Neutral Base, Tintable White. Available in 1 stock colors.
Sizes	5 Gallon	5 Gallon	5 Gallon	1G Kit
Competitors	Benjamin Moore SuperSpec 153 Coronado SuperKote 5000 N110 Series Sherwin Williams WB B42W1 Series Zinsser Dryfall 293234 PPG Speedhide SuperTech WB 6-725XI	Benjamin Moore Block Fill M88 Sherwin Williams Prep-Rite B25W25	Benjamin Moore HB 068 Sherwin Williams Loxon A24W	Sherwin Williams Epolon II B62W PPG AquaPon 97 Series
Special Features	Airless spray, fine grind application Apply to a wide variety of substrates For use on ceilings 18 feet or higher Bright white	Alkali resistant Fills pores & small voids in masonry & light aggregate block Eliminates pin holing & produces a uniform surface texture Interior use	High quality interior/ exterior 100 % acrylic block filler Alkali resistant For masonry block & porous concrete Fills small imperfections & pinholes to prevent seepage from driving rain & snow Pre-Epoxy Block Fill	2 component, impacted immersion coating Tough & chemical resistant Maximum protection against common corrosive chemicals Durable, ceramic tile-like finish
VOC Compliance	EPA, OTC, OTC II, CARB, SCAQMD	EPA, OTC	EPA, OTC	EPA, OTC



Product Name	Alumithane Direct to Rust Primer	Fix Rust Primer	RustPlate Primer	Shop Coat Primer
Product Number	F929	F500	F927	F928
Vehicle Type	Solvent Acrylic	Alkyd	Alkyd	Alkyd
Quality	Ultra Premium	Very Good	Premium	Good
Gloss @ 60° (±2%)	50	5	5	5
Exposure	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior	Interior/ Exterior
End Use	Commercial	Commercial/Residential	Commercial	Commercial
Recommended Substrates	Metal surfaces	New steel, rusted or previously painted steel.	for use on new, rusted, or previously painted steel.	Ferrous Metal Surfaces
Stain Resistance	Excellent	N/A	N/A	N/A
Washability	Scrubable	N/A	N/A	N/A
Hiding	Excellent	Very Good	Very Good	Very Good
Bases & Colors	. Available in 1 stock colors.	. Available in 2 stock colors.	White.	. Available in 2 stock colors.
Sizes	Quart, Gallon	Quart, Gallon, 5 Gallon	Quart, Gallon	Gallon, 5 Gallon
Competitors	Rustoleum 9800 System Tnemec Omnithane	PPG Multi-Prime 97-68 Series Rustoleum 302xxx Sherwin-Williams Kem Kromic B50 Series	Rustoleum 302xxx Sherwin-Williams Kem Kromic B50 WZ1	Cortech Shop Coat V133 PPG Porter Fab Prime PP950x Sherwin Williams Steel Spec B50 Series
Special Features	Great, long lasting aluminum finish Direct to rust application Excellent metal primer for most topcoats Outstanding chemical resistance	Corrosion resistant Excellent adhesion Topcoat with oil or latex Fast drying	Synthetic White Primer offering corrosion resistance Good chemical resistance Use on ferrous metals Fast dry, high hiding formulation	Economical, high performing metal primer Good rust resistance High hiding, heavy pigmented product Topcoated with latex or oil base finishes
VOC Compliance	EPA, OTC	EPA, OTC	EPA, OTC	EPA, OTC

CALIFORNIA PAINTS AND FIXALL ARE BRANDS OF:



150 Dascomb Rd., Andover, MA 01810
978.623.9980 • www.icp-construction.com